# Curriculum Vitae

# **Ann Martin Graybiel**

# **Education and Positions**:

Education and 1 dictions.	
Harvard University, A.B.	1964
Magna cum Laude, Phi Beta Kappa	
Tufts University, Department of Biology	1965-1966
Woodrow Wilson Fellow	
Massachusetts Institute of Technology, Ph.D.	1971
Department of Psychology and Brain Science	
Research Associate, M.I.T.	1971-1973
Assistant Professor in Psychology, M.I.T.	1973-1976
Associate Professor in Psychology, M.I.T.	1976-1980
Professor of Neuroanatomy, Dept. of Psychology, M.I.T.	1980-1983
Head, Course in Neuroscience and Professor, HST Division, Harvard Medical School	1986-1988
Professor of Neuroscience, Department of Brain and Cognitive Sciences, M.I.T.	1983-
Walter A. Rosenblith Professor of Neuroscience, M.I.T.	1994-2008
Investigator, McGovern Institute for Brain Research, M.I.T.	2001-
Affiliate, Picower Center for Learning and Memory, M.I.T.	2001-2012
Institute Professor, M.I.T.	2008-
Awards and Honors:	
Porter Fellowship Award, American Physiological Society	1967
Williams and Wilkins Award, American Association of Anatomists	1970
Associate, Neuroscience Research Program (first woman)	1978
Charles Judson Herrick Award, American Association of Anatomists	1978
McKnight Senior Investigator Award	1985
Member, National Academy of Sciences, USA	1988
Javits Neuroscience Investigator Award, National Institutes of Health	1988, 1995
Honorary Member, Royal Academy of Medicine, Seville, Spain	1989
Member, American Academy of Arts and Sciences	1991
Member, National Academy of Medicine, USA (formerly the Institute of Medicine)	1994
Fellow, American Academy of Neurology	1997
President, International Basal Ganglia Society	1997-1998
Teaching Prize for Excellence in Graduate Education, School of Science, MIT	2000
Outstanding Women in Neuroscience Award, Brown University, Providence, Rhode Island	2001
National Medal of Science, USA	2001
James Rhyne Killian Jr. Faculty Achievement Award, M.I.T.	2002
Robert S. Dow Neuroscience Award	2002
Honorary Doctor of Science, Mount Sinai School of Medicine, New York, New York	2003
2004 Woman Leader of Parkinson's Science, Parkinson's Disease Foundation, New York, New York	2004
MERIT Award of the National Institutes of Health	2004
Radcliffe Alumnae Recognition Award	2004
Prix Plasticité Neuronale from the IPSEN Foundation	2005
Honorary Doctor of Science, Tufts University, Medford, Massachusetts	2005
Harold S. Diamond Honorary Professorship, National Parkinson Foundation	2005
NARSAD Distinguished Investigator Award	2007
Honorary Doctor of Philosophy, The Hebrew University, Jerusalem	2007
Honorary Doctor of Medical Science, Queens University, Belfast	2007
C. David Marsden Lectureship Award, Movement Disorder Society	2007
Vanderbilt Prize in Biomedical Science	2008
M.I.T. Institute Professor	2008
17.1.1.1.110000000 1 10100001	2000

-	Currentum rate. Thin Harrin Grayotei, 1 h.D.		1 450 2
	Honorary Member Award – 14 <sup>th</sup> Int'l Congress of Parkinson's Disease and Movement Disorders	2010	
	The Kavli Prize Diana Helis Henry And Adrienne Helis Malvin Medical Research Foundations	2012 2015	
	Joint Lecture Series in Parkinson's Disease Research		
	Member, American Philosophical Society	2016	
	Honorary Memberships:		
	Royal Academy of Medicine, Spain	1989	
	International Basal Ganglia Society	2007	
	The Movement Disorder Society	2010	
	Foreign Member of The Norwegian Academy of Science and Letters	2012	
	Selected Named Lectures:		
	First Special Lecture, Society for Neuroscience, Dallas, Texas	1985	
	Gordon H. Scott Memorial Lectureship, Detroit, Michigan	1986	
	John D. French Lectureship, UCLA, Los Angeles, California	1994	
	Olsweski Lectureship, Montreal Neurological Institute, Montreal, Canada	1994	
	Rushton Lecture, Florida State University, Tallahassee, Florida	1995	
	Servier Lecture, University of Montreal, Montreal, Canada	1995	
	Ragnar Granit Lecture, Karolinska Institute, Stockholm, Sweden	1995	
	Special Lecture, Society for Neuroscience, Washington, D.C.	1996	
	Grass Lecture, University of Indiana, Bloomington, Indiana	1999	
	George B. Murray Lecture, Massachusetts General Hospital, Boston, Massachusetts	1999	
	Melvin D. Yahr Lecture, Mt. Sinai School of Medicine, CUNY, New York, New York	1999	
	Distinguished Visiting Scientist Lecture, Albany Medical College, Albany, New York	2000	
	Plenary Lecture, French Movement Disorder and Basal Ganglia Societies, Paris, France	2000	
	NIH Tri-Institute Seminar, Bethesda, Maryland	2001	
	Robert S. Dow Neuroscience Award Lecture, Portland, Oregon	2002	
	NIH Director's Lecture, Bethesda, Maryland	2002	
	Plenary Lecture, 6th IBRO World Congress of Neuroscience, Prague, Czech Republic	2003	
	John Flynn Memorial Lecture, Yale University, New Haven, Connecticut	2004	
	Norman Geschwind Memorial Lecture, Beth Israel-Deaconess Hospital, Boston, Massachusetts	2004	
	Distinguished Lecture and Rodolfo Rivas Memorial Lecture, University of Maryland, College Park, Maryland	2005	
	Plenary Lecture, Gordon Conference on Catecholamines, Andover, New Hampshire	2005	
	Plenary Lecture, Spanish Society on Neuroscience, Madrid, Spain	2005	
	Heller Lecture in Computational Neuroscience, Hebrew University, Jerusalem, Israel	2006	
	Millward Memorial Lecture, Brown University, Providence, Rhode Island	2006	
	Special Lecture, Society for Neuroscience, Atlanta, Georgia	2006	
	American Academy of Neurology Annual Meeting, Plenary Lecture, Chicago, Illinois	2008	
	C. David Marsden Lecture, Movement Disorder Society's 12 <sup>th</sup> International Congress, Chicago, Illinois	2008	
	M.I.N.D. Institute Distinguished Lecture, Davis, California	2008	
	Lord Adrian Lecture, Cambridge, England Mildred Tretter Lecture, Weshington University, St. Levis, Misseyri	2008 2009	
	Mildred Trotter Lecture, Washington University, St. Louis, Missouri David Smith Lecture, Oxford University, Oxford, England	2009	
	The Mellon Award Lecture, University of Pittsburgh, Pittsburgh, Pennsylvania	2010	
	Narabayashi Lecture, International Congress of Clinical Neurophysiology, Kobe, Japan	2010	
	Plenary Lecture, Turkish Neuroscience Meeting, Istanbul, Turkey	2010	
	Presidential Lecture, Society for Neuroscience, Washington, D.C.	2011	
	Segerfalk Lecture, Lund University, Lund, Sweden	2011	
	National Taiwan University Lecture, Taipei, Taiwan	2012	
	The Kavli Laureate Lecture, Oslo, Norway	2012	
	The Kavli Public Lecture, Bergen, Norway	2012	
	Carnegie Foundation Kavli Laureate Lecture, Washington, DC	2012	

Druker Memorial Lecture, Beth Israel Deaconess Medical Center, Boston, Massachusetts Dean for Science Lecture in Neuroeconomics, New York University, New York, New York Jan and Dan Duncan Neurological Research Institute Distinguished Lecture, Houston, Texas Diana Helis Henry And Adrienne Helis Malvin Medical Research Foundations Joint Lecture Series in Parkinson's Disease Research	2013 2014 2014 2015
Advisory Boards and Committees (National and International):	
National Science Foundation	
Panel for Neurobiology	1976-1979
Neuroscience Oversight Review Board	1986
Society for Neuroscience	
Council	1976-1980
Program Committee	1976-1978
Gerard Prize Selection Committee	1989,1991
Board of Scientific Counselors of the NINCDS (National Institutes of Health)	1980-1984
American Association of Anatomists	
Cajal Club, Program Committee	1977
President, Cajal Club	1983-1984
C. Judson Herrick Award Committee	1985
Max Planck Institute for Psychiatry, Munich, Germany	1985-1989
Institute of Basic Research Scientific Advisory Board	1989-1998
The McKnight Endowment Fund for Neuroscience	1986-1996
Vice President	1986-1996
Board of Directors	1986-1996
Research Project Awards Committee	1986-1996
Development Awards Committee	1986-1996
Member, Senior Review Committee	1987-1996
Tourette Syndrome Association	1986-1992
Scientific Advisory Board	
Dystonia Medical Research Foundation	1000 1001
Scientific Advisory Board	1989-1994
United Parkinson's Disease Foundation	1000
Scientific Advisory Board	1989-
International Brain Research Organization	1001 1007
Executive Committee	1991-1997
Encyclopedia of Neuroscience	1993-
Scientific Advisory Board	1993-
National Academy of Sciences	1993
Neuroscience Award Selection Committee, Chair Class II Membership Committee	1995-1998
Chair, Section of Neurobiology	1995-1998
Class II Secretary	2001-
Beckman Institute	2001-
External Advisory Committee	1993-2007
Institute of Medicine	1775 2007
Board on Neuroscience and Behavioral Health	1997-2001
Chair, Board on Neuroscience and Behavioral Health	2000-2001
National Parkinson Foundation	2000 2001
Scientific Advisory Board	1997-2008
National Institute of Mental Health	
National Advisory Mental Health Council	1997-1999
Hereditary Disease Foundation	-
Scientific Advisory Board	2000-2006
Alzheimer Research Forum	

Scientific Advisory Board	2000-
Max Planck Institute for Cybernetic Biology, Tübingen, Germany Scientific Advisory Board	2000-2006
American Association for the Advancement of Science	2001-2005
Member-at-Large, Section Committee, Section on Neuroscience Movement Disorder Society	2001-2003
International Executive Committee	2001
Member, American College of Neuropsychopharmacology	2003
Society for Neuroscience International Affairs Committee – US National Committee (IAC-USNC)	
to the International Brain Research Organization (IBRO)	2007-
Stockholm Brain Institute, Stockholm, Sweden	
Scientific Advisory Board	2007-
Institut du Cerveau et de la moelle épinière (ICM)	
Scientifie Advisory Board	2008-2013
Ernst Strüngmann Forum, Frankfurt, Germany	
Scientific Advisory Board	2008-
Biomedical Science Advisory Board at Vanderbilt University	2010-
Eidgenossische Teshnische Hochschule Zurich Scientific Advisory Board	2010-
Dopamine International Advisory Board	2011
MIT Presidential Search Committee	2012
Foundation IPSEN	2012-
Neuronal Plasticity Prize Jury	
Max Planck Florida Institute	2012
Scientific Advisory Board	2013-
Beckman Institute, University of Illinois at Urbana-Champaign	2012
External Advisory Committee  Packmann Strayes Divitoria & Parkinson Foundation, Inc.	2013-
Bachmann-Strauss Dystonia & Parkinson Foundation, Inc. Scientific Advisory Board	2013-
Troland Research Award Selection Committee	2013-
The Lurie Center for Autism	2013-
Scientific Advisory Board	2013-
Pradel Research Award Committee (NAS)	2014
	2014
Editorial Boards:	
Neuroscience Letters	1975-1984
Neuroscience	1976-1999
Journal of Comparative Neurology	1980-1984
Neuroscience Research Communications	1986-
Movement Disorders	1989-1993
Neurodegeneration	1991-1997
Journal of Neurophysiology	1992-
Journal of Neuroscience	1980-1983
C	1988-2004
Synapse  Right and Development	1992-2004
Biological Psychiatry Angles de Angtonía	1993- 1993-
Anales de Anatomía Parkinsonism and Related Disorders	1993- 1994-1999
Neuroscience Research	2000
Neuropsychopharmacology	2000-
Frontiers in Neuroscience	2008-
Journal of Comparative Neurology	2008-2012
Journal of Parkinson's Disease	2010-
our and of 2 distribute of 2 bounds	2010

**Research:** Ann Graybiel discovered that the striatum, the largest subcortical structure of the mammalian forebrain, has a modular organization that is now recognized as shaping molecular signaling in the striatum and plasticity related to habit learning, repetitive behavior, motivational control, and human neurologic and neuropsychiatric disorders.

When Graybiel began her work, the striatum was known by physicians as important for motor disorders such as Huntington's disease and Parkinson's disease but was largely ignored by basic scientists, as it was thought to be a primitive, homogeneous structure. Graybiel nevertheless focused on the striatum, and in 1978, with student Ragsdale, discovered the neurochemical compartments of the human striatum: the striosomes and the surrounding matrix. It has now been found that this architecture is altered in some human neurological and neuropsychiatric disorders and in animal models of these conditions, and that this architecture is critical to the cholinergic-dopaminergic balance required for normal motor and motivational function.

Graybiel and her students discovered that nearly every neurotransmitter system known is differentially expressed according to this striosome-matrix architecture, and that this molecular modularity is linked to the input-output circuits of the striatum, the lineage programs giving rise to striatal neurons, and the development of their dopaminergic innervation in species ranging from rodents to humans. She showed that striosomes correspond to the sites at which the dopamine-containing nigrostriatal tract first terminates during development, and she and her students demonstrated, along with others, that striosomes in turn project to the dopamine-containing substantia nigra. Striosomes thus are critical components of striato-nigro-striatal loops affected in Parkinson's disease and other neurologic and neuropsychiatric disorders. With gene-induction methods, Graybiel and group then found that striosomes have differential sensitivity to many dopaminergic drugs, further pointing to dopamine-related functions. In successive studies, they found selective striosome-matrix neuronal vulnerability patterns in non-human primate and rodent models of Parkinson's disease, in models of dopa-responsive dystonia and L-dopa induced dyskinesias, and they with colleagues discovered that striosomes are selectively vulnerable in Huntington's patients exhibiting pronounced mood problems. Reinforcing these findings, Graybiel and group discovered novel CalDAG-GEF genes that link Ca<sup>2+</sup> and DAG signaling to Ras superfamily (Ras, Rap) signaling, found that these have complementary expression in striosome and matrix compartments, and showed that they are dysregulated in human Parkinson's and Huntington's brains and in corresponding mouse models.

In parallel, Graybiel with her students discovered that input-output modules in the large matrix compartment organize information flow. Likening this physical architecture to learning architectures in computational models, Graybiel suggested that this organization could underlie habit learning. She put this hypothesis to the test by turning to multi-electrode techniques, allowing her group to make the first chronic recording from ensembles of neurons in the striatum and neocortex of awake, behaving rodents as they learned new tasks and developed habits. They discovered that highly patterned changes in ensemble activity occur in the striatum and neocortex as habits are formed, with activity bracketing the habitual behavior, which they related to learning of valued behavioral habits and repertoires. The task-bracketing patterns that they found in rodents, and then in non-human primates, suggest a potential biomarker of habitual behavior.

Capitalizing on newly available optogenetic methods, Graybiel and her group then manipulated the corticostriatal circuits that they had identified electrophysiologically. They found that they could block the formation of habits and block the expression of already formed habits, and that they could toggle habits on and off. Extending this work to a therapeutic model, they discovered that they could selectively block compulsive behavior in a mouse model of compulsive behavior. This work, still on-going, suggests a stunning level of on-line control of even apparently semi-automatic behaviors. Graybiel and her group have gone on to show links between these neural patterns and oscillatory activity patterns important in human disease. In long-term, chronic fast-scan cyclic voltammetric recordings in behaving animals, they discovered that striatal dopamine release can ramp up in relation to proximity to reward. This unexpected dopamine signal suggests a need for revising models of dopamine signaling as primarily occurring phasically in relation to reinforcement.

Critically, in early work, Graybiel, with Eblen, discovered that striosomes in non-human primates receive preferential input from cortical regions implicated, in humans, in anxiety, depression and emotional tone. With the chronic multi-electrode methods that her group developed for non-human primates, Graybiel and Amemori have found that they can modulate emotion-related decision-making by electrical microstimulation of these striosome-projecting cortical regions, inducing pessimistic or optimistic choices, and that these effects are reversible by anxiolytic treatment. Now, with optogenetics and recording in rodents, Graybiel with her fellows have provided causal evidence that cortico-striosomal circuits are critical for decision-making under cost-benefit conflict conditions in which positive and negative options must be weighed. This work has uncovered a pivotal role for striosomal circuits in the modulation of motivational signaling, now known to be affected in Huntington's and Parkinson's disease and a wide range of other disorders. Graybiel and her group are now generating and using engineered mice to explore the differential functions of striosomes and matrix in health and disease. Graybiel's work has ever-increasing importance for understanding circuits disrupted in neurological and neuropsychiatric disorders, their cellular and genetic basis, and the therapeutic strategies needed to relieve them.

2016

2016

### Synopsis of Scientific Contributions of Graybiel and coworkers (please see list of publications for manuscripts):

Vi	Visuomotor Systems		
•	Identified multiple-channel cortical connectivity of the pulvinar system of the thalamus.	1970-1983	
•	Delineated brainstem connections of oculomotor and visuomotor systems and discovered	1974-1980	
	nearly every extrageniculate visual and visuo-oculomotor pathway in the brainstem.		
•	Identified mosaic organization of systems afferent to the superior colliculus.	1975-1978	
		40-0 4004	

Delineated chemical compartments and mosaic organization of the superior colliculus. 1978-1984 Identified sensory maps in the claustrum. 1980

Identified chemical compartments of the visual thalamus and related these to the afferent-1980-1983 efferent subdivisions of these thalamic regions.

Basal Ganglia	
Striosomes and Matrisomes	1070
• Identified histochemical compartments of the human striatum (striosomes and matrix).	1978
• Demonstrated that striatal inputs and outputs are organized in relation to striosomes.	1979-present
• Identified chemical compartments of embryonic and neonatal striatum and showed that these correspond to dopamine islands.	1980-1984
• Demonstrated that neuropeptides in striatum follow striosomal architecture and,	1981
subsequently, that most other neurotransmitter-related substances do so as well.	
• Demonstrated that striosomes are ontogenetic units of the striatum with defined	1982
developmental birthdates of striatal neurons.	
• Identified mosaic organization of the striatal matrix (matrisomes) using combined	1986
electrophysiology and anatomy.	
Demonstrated that psychomotor stimulants induce immediate-early genes in	1990-1993
striosome/matrix-specific patterns in the striatum.	1,,,0 1,,,5
Identified convergent-divergent architecture of functionally-defined corticostriatal and	1991-1995
striatopallidal circuits and likened this architecture to expert-systems learning	
architectures.	
Demonstrated that chronic psychomotor stimulant exposure induces network-level	1996
changes in gene expression in the striatum leading to striosome-enhanced induction	1770
patterns in rodents.	
<ul> <li>Demonstrated high correlation between striosome-predominant striatal gene expression</li> </ul>	1999-2000
patterns and stereotypic behavior induced by chronic exposure to psychomotor stimulants.	1777 2000
<ul> <li>Demonstrated that natural movement and sensorimotor inputs activate striatal matrix.</li> </ul>	2002
Demonstrated that after chronic psychomotor exposure, the stimulant induces striosome-	2004
predominant early-gene expression in the primate striatum.	2004
<ul> <li>Demonstrated that mood dysfunction in Huntington's disease patients is correlated with</li> </ul>	2006
differential degeneration in striosomes of the striatum.	2000
<ul> <li>Demonstrated that differential degeneration of striosomes occurs in a mouse model of</li> </ul>	2008
DOPA-responsive dystonia.	2008
<ul> <li>Demonstrated that DYT-3 dystonia-related protein N-TAF1 is enriched in the striosomal</li> </ul>	2011
compartment of the striatum.	2011
<ul> <li>Demonstrated that microstimulation in striosome-projecting region of macaque anterior</li> </ul>	2012
cingulate cortex induces negative value-based decision-making in non-human primates.	2012
<ul> <li>Identified a specific striosome-targeting corticostriatal circuit that selectively mediates</li> </ul>	2015
decision-making under cost-benefit conflict conditions.	2013
<ul> <li>Demonstrated highly patterned prenatal development patterns of birth-dated striosomal</li> </ul>	2015
- Demonstrated inginy patterned prenatal development patterns of offin-dated striosomal	2013

Demonstrated striosome-matrix developmental patterning of an autism spectrum disorder

contrasting neural progenitor programs at the inception of striatal development (in submission).

Demonstrated that the major components of striatal architecture are set up by sharply

and matrix neurons.

gene and its regulation (in review and on-going).

Physiology of Habit Learning and Cortico-Striatal Circuits, Neuroplasticity		
<ul> <li>Demonstrated learning-related plasticity in spike activity of striatal tonically active</li> </ul>	1994-1995	
neurons (TANs) during behavioral conditioning in primates, and showed that dopamine		
modulates expression of this neuroplasticity.		
• Demonstrated that the activity of neurons in the striatum undergoes major reorganization	n as 1999	
rats learn procedural tasks and form habits.		
<ul> <li>Demonstrated that thalamic inputs regulate expression of learning-related plasticity</li> </ul>	2001	
of striatal TANs.		
<ul> <li>Demonstrated that striatal TAN activity in macaque monkeys predicts behavioral respon</li> </ul>	se 2002	
probability.		
<ul> <li>Identified neural activity in macaque monkeys prefrontal cortex representing boundaries</li> </ul>	of 2003	
action sequences.		
<ul> <li>Demonstrated that striatal projection neurons exhibit multiple spiking changes during</li> </ul>	2005	
acquisition, extinction and reacquisition of a procedural "habit" task.		
<ul> <li>Demonstrated existence of highly contrasting learning-related neural dynamics in</li> </ul>	2010	
associative and sensorimotor striatum.		
<ul> <li>Demonstrated that optimal habits emerge without training in non-human primates.</li> </ul>	2010	
• Demonstrated that already acquired habits can be broken and reinstated in rats by on-line	e 2012	
optogenetic inhibition of medial prefrontal cortex.		
• Demonstrated that dopamine depletion and L-DOPA treatment have selective effects on	2013	
plasticity of learning-related ensemble spike activity in the sensorimotor striatum.		
<ul> <li>Demonstrated that dorsolateral striatum and medial prefrontal cortical habit-related</li> </ul>	2013	
regions exhibit strikingly different dynamics of neuroplasticity during habit learning,		
habit loss, and habit reinstatement.		
• Demonstrated that habit formation can be blocked by on-line optogenetic inhibition of	2013	
medial prefrontal cortex.		
• Demonstrated that acquired compulsive behavior can be selectively blocked by on-line	2013	
optogenetic excitation of orbitofrontal cortex and by excitation of orbitofrontal terminals	3	
within the striatum.		
<ul> <li>Discovered a novel, extended form of dopamine release signaling that occurs during</li> </ul>	2013	
approach to valued goals by use of fast-scan cyclic voltammetry in rats.		
• Demonstrated bivalent reinforcement signaling by cholinergic interneurons in ventral	2014	
striatum during habit learning.		
• Demonstrated heightened stereotypy in mice genetically engineered to express exaggera	ted 2014	
acetylcholine release.		
<ul> <li>Demonstrated that motivation and affective judgments elicit differential responses in col</li> </ul>	norts 2015	
of neurons in prefrontal cortex and cingulate cortex of macaque monkeys.		
<ul> <li>Demonstrated that natural habit learning in non-human primates leads to development of</li> </ul>	f a 2015	
caudate signal representing the integrated cost and benefit of the acquired behavior.		
Theoretical		
• Proposed that the basal ganglia can act to affect cortical cognitive pattern generators, in	1997	
addition to brainstem/spinal motor pattern generators.		
<ul> <li>Proposed that the basal ganglia act to enable chunking of action repertoires.</li> </ul>	1998	
<ul> <li>Proposed attractor state model of striatal processing.</li> </ul>	2001	
<ul> <li>Proposed the concept of 'neural exploration' and 'neural exploitation' to parallel behavior</li> </ul>	oral 2005	
exploration and exploitation in procedural learning.		
• Proposed hierarchical learning model suggesting that striosome-matrisome architecture of	of 2011	
the striatum provides template for context-specific learning.		
Striatal Oscillations		
• Demonstrated that beta-band (10-25 Hz) oscillations are a prominent feature of striatal	2003	
activity in normal, awake behaving macaques.		
• Demonstrated temporally coordinated LFP activity in simultaneous recordings from	2005	
neocortex and striatum of awake, behaving macaques.		

Demonstrated that theta rhythms in the striatum and hippocampus become coordinated	2007-2008
Demonstrated network-level shifts in frequencies of oscillatory rhythms and synchronized	2011
Discovered that multiple oscillatory frequency bands in local field potentials are selectively	2012
Demonstrated different co-occurring learning-related theta sub-band oscillation activity in	2014
Demonstrated that brief bursts of beta oscillation mark the end of successfully completed task performance in non-human primates.	2015
Demonstrated that mouse weaver mutation depletes dopamine in patterns resembling those of Parkinson's disease.	1984
Identified chemical compartments in substantia nigra pars compacta.	1989
Demonstrated that intrastriatal grafts of fetal striatal cells develop striatal phenotype.	1989-1994
Documented brain and behavioral consequences of dopamine D1 and D3 dopamine receptor	1994-1996
Introduced striatal organotypic slice cultures for studying regulation of gene expression in	1994
Demonstrated that spatially selective phosphatase gates control cAMP-and Ca <sup>2+</sup> -mediated	1996
	1999
	1777
	2009
Demonstrated sharp increases in thyrotropin releasing hormone in striatum correlate with	2010
Developed a chronic recording system for non-human primates with >100 independently	2011
Discovered that humanized Foxp2, engineered into mice, enhances learning to shift	2014
from place to habit strategies of performance.	
ethodological Development	
	1974
	1996
Developed a multi-electrode recording technique and devise with independently movable	2012
,	2015
Developed novel multi-stage algorithm for automated spike-sorting of high-dimensional neuronal data with high background noise.	2015
Developed a non-linear multi-dimensional hidden state (NMHS) approach to complex neural circuit analysis.	2016
	1000
	1998
that they are striatum-enriched and have differential striosome-enriched (CalDAG-GEFII)	1998
Demonstrated that CalDAG-GEFI is essential for platelet aggregation and thrombus	2004
	2006
	2006 2005-present
striatum including the development of drug-induced sensitization of stereotypic behavior	2003-present
	during procedural learning.  Demonstrated network-level shifts in frequencies of oscillatory rhythms and synchronized spike firing in ventromedial striatum during habit learning.  Discovered that multiple oscillatory frequency bands in local field potentials are selectively altered by dopamine depletion and IDOPA treatment  Demonstrated different co-occurring learning-related theta sub-band oscillation activity in sensorimotor and associative striatal regions during habit learning.  Demonstrated that brief bursts of beta oscillation mark the end of successfully completed task performance in non-human primates.  **Ner work on basal ganglia**  Demonstrated that mouse weaver mutation depletes dopamine in patterns resembling those of Parkinson's disease.  Identified chemical compartments in substantia nigra pars compacta.  Demonstrated that intrastriatal grafts of fetal striatal cells develop striatal phenotype.  Documented brain and behavioral consequences of dopamine D1 and D3 dopamine receptor deletion in transgenic mice.  Introduced striatal organotypic slice cultures for studying regulation of gene expression in developing striatum.  Demonstrated that spatially selective phosphatase gates control cAMP-and Ca²+-mediated CREB phosphorylation in developing striatum using organotypic slice cultures.  Identified chemospecific compartments ("nigrosomes") in human substantia nigra pars compacta and demonstrated that they are markers for neurodegeneration patterns in Parkinson's disease.  Demonstrated existence of time-stamp encodings of time in cortico-basal ganglia circuits.  Demonstrated sharp increases in thyrotropin releasing hormone in striatum correlate with L-DOPA-induced dyskinesias.  Developed a chronic recording system for non-human primates with >100 independently movable electrodes.  Discovered that humanized Foxp2, engineered into mice, enhances learning to shift from place to habit strategies of performance.  **thotological Development**  Developed a multi-electrode recording technique and devise wit

•	Demonstrated, with collaborators, that that the human LAD-III syndrome is associated with defective expression of CalDAG-GEFI in the hematopoietic system.	2007
•	Demonstrated that the striatum-enriched genes CalDAG-GEFI and CalDAG-GEFII are strongly and inversely dysregulated in relation to severity of L-DOPA-induced dyskinesias	2009
•	(AIMs) in rat model of Parkinson's disease.  Demonstrated that CalDAG-GEFI down-regulation is protective in a model of Huntington's	2010
•	disease neurodegeneration and related to lowered expression of Htt nuclear aggregates.  Demonstrated that CalDAG-GEFI constitutive and conditional deletion in mice promotes	2014-present
	behavioral repetitiveness and affects selectively a muscarinic cholinergic receptor-driven signaling pathway in the striatum (in preparation and on-going).	2011 present

### **Publications of Ann Martin Graybiel:**

### **Books:**

- 1. Kimura, M. and Graybiel, A. M., eds. (1995) Functions of the Cortico-Basal Ganglia Loop. Springer-Verlag: New York.
- 2. Graybiel, A.M., Delong, M.R., and Kitai, S.T., Eds. (2003) *The Basal Ganglia VI*. New York: Kluwer Academic/Plenum.
- 3. Grillner, S. and Graybiel, A.M., Eds. (2006) *Microcircuits: The Interface between Neurons and Global Brain Function*. Cambridge, MA: MIT Press.

### Papers:

- 1. Graybiel, A.M. and Held, R. (1970) Prismatic adaptation under scotopic and photopic conditions. *J. Exp. Psychol.*, 85:16-22.
- 2. Graybiel, A.M. (1970) Some thalamocortical projections of the pulvinar-posterior system of the thalamus in the cat. *Brain Res.*, 22:131-136.
- 3. Graybiel, A.M. (1971) Some fiber connections of the posterior thalamus in the cat. Doctoral dissertation, Massachusetts Institute of Technology.
- 4. Graybiel, A.M. (1972) Some extrageniculate visual pathways in the cat. *Invest. Ophthalmol.*, 11:322-332.
- 5. Graybiel, A.M. (1972) Some fiber pathways related to the posterior thalamic region in the cat. *Brain Behav. Evol.*, 6:363-393.
- 6. Graybiel, A.M. (1972) Some ascending connections of the pulvinar and nucleus lateralis posterior of the thalamus of the cat. *Brain Res.*, 44:99-125.
- 7. Graybiel, A.M. (1973) The thalamo-cortical projection of the so-called posterior nuclear group: a study with anterograde degeneration methods in the cat. *Brain Res.*, <u>49</u>:229-244.
- 8. Graybiel, A.M., Nauta, H.J.W., Lasek, R.J., and Nauta, W.J.H. (1973) A cerebello-olivary pathway in the cat: an experimental study using autoradiographic tracing techniques. *Brain Res.*, <u>58</u>:205-211.
- 9. Graybiel, A.M. (1974) Studies on the anatomical organization of posterior association cortex. In: *The Neurosciences: Third Study Program*, F.O. Schmitt and F.G. Worden, Eds. Cambridge: MIT, pp. 205-214.
- 10. Graybiel, A.M. and Devor, M. (1974) A microelectrophoretic delivery technique for use with horseradish peroxidase. *Brain Res.*, <u>68</u>:167-173.
- 11. Graybiel, A.M. (1974) Visuo-cerebellar and cerebello-visual connections involving the ventral lateral geniculate nucleus. *Exp. Brain Res.*, 20:303-306.
- 12. Graybiel, A.M. and Hartwieg, E.A. (1974) Some afferent connections of the oculomotor complex in the cat: an experimental study with tracer techniques. *Brain Res.*, <u>81</u>:543-551.
- 13. Graybiel, A.M. (1975) Wallerian degeneration and anterograde tracer methods. In: *The Use of Axonal Transport for Studies of Neuronal Connectivity*, W.M. Cowan and M. Cuénod, Eds. Amsterdam: Elsevier, pp. 174-216.
- 14. Graybiel, A.M. (1975) Anatomical pathways in the brain stem oculomotor system. In: *Eye Movements and Movement Perception*, J. Lott Brown, Ed. Rochester, NY: Center for Visual Science, pp. 37-38.
- 15. Graybiel, A.M. (1975) Anatomical organization of retinotectal afferents in the cat: an autoradiographic study. *Brain Res.*, 96:1-23.
- 16. Gould, B.B. and Graybiel, A.M. (1976) Afferents to the cerebellar cortex in the cat: evidence for an intrinsic pathway leading from the deep nuclei to the cortex. *Brain Res.*, 110:601-611.
- 17. Graybiel, A.M. (1976) Evidence for banding of the cat's ipsilateral retinotectal connection. *Brain Res.*, 114:318-327.
- 18. Graybiel, A.M. (1977) Direct and indirect preoculomotor pathways of the brainstem: an autoradiographic study of the pontine reticular formation in the cat. *J. Comp. Neurol.*, 175:37-78.
- 19. Graybiel, A.M. (1977) Organization of oculomotor pathways in the cat and rhesus monkey. In: *Control of Gaze by Brain Stem Neurons*, R.G. Baker and A. Berthoz, Eds. Amsterdam: Elsevier, pp. 79-88.

- 20. Graybiel, A.M. (1977) Basal ganglia in health and disease. In: *Society for Neuroscience, 6th Annual Meeting, Summaries of Symposia* (BIS Conference Report No. 45). Los Angeles: Brain Information Service, pp. 41-45.
- 21. Graybiel, A.M. (1978) Organization of the nigrotectal connection: an experimental tracer study in the cat. *Brain Res.*, 143:339-348.
- 22. Graybiel, A.M. (1978) A stereometric pattern of distribution of acetylthiocholinesterase in the deep layers of the superior colliculus. *Nature*, <u>272</u>:539-541.
- 23. Graybiel, A.M. (1978) A satellite system of the superior colliculus: the parabigeminal nucleus and its projections to the superficial collicular layers. *Brain Res.*, 145:365-374.
- 24. Berson, D.M. and Graybiel, A.M. (1978) Parallel thalamic zones in the LP-pulvinar complex of the cat identified by their afferent and efferent connections. *Brain Res.*, 147:139-148.
- 25. Graybiel, A.M. and Ragsdale, Jr., C.W. (1978) Histochemically distinct compartments in the striatum of human, monkey, and cat demonstrated by acetylthiocholinesterase staining. *Proc. Natl. Acad. Sci. U S A*, 75:5723-5726.
- 26. Graybiel, A.M. (1979) Periodic-compartmental distribution of acetylcholinesterase in the superior colliculus of the human brain. *Neuroscience*, <u>4</u>:643-650.
- 27. Graybiel, A.M., Ragsdale, Jr., C.W., and Moon Edley, S. (1979) Compartments in the striatum of the cat observed by retrograde cell labeling. *Exp. Brain Res.*, <u>34</u>:189-195.
- 28. Graybiel, A.M. (1979) Some patterns of connectivity in the central nervous system: a tribute to Rafael Lorente de Nó. In: *Integration in the Nervous System*, D.P.C. Lloyd, R. Lorente de Nó, V.J. Wilson and H. Asanuma, Eds. Tokyo: Igaku-Shoin, pp. 69-96.
- 29. Graybiel, A.M. and Ragsdale, Jr., C.W. (1979) Fiber connections of the basal ganglia. In: *Development and Chemical Specificity of Neurons*. M. Cuénod, G.W. Kreutzberg, and F.E. Bloom, Eds. Amsterdam: Elsevier, pp. 239-283.
- 30. Kaiserman-Abramof, I.R., Graybiel, A.M., and Nauta, W.J.H. (1980) The thalamic projection to cortical area 17 in a congenitally anophthalamic mouse strain. *Neuroscience*, 5:41-52.
- 31. Graybiel, A.M. and Berson, D.M. (1980) Histochemical identification and afferent connections of subdivisions in the lateralis posterior-pulvinar complex and related thalamic nuclei in the cat. *Neuroscience*, 5:1175-1238.
- 32. Graybiel, A.M. and Ragsdale, Jr., C.W. (1980) Clumping of acetylcholinesterase activity in the developing striatum of the human fetus and young infant. *Proc. Natl. Acad. Sci. U S A*, <u>77</u>:1214-1218.
- 33. Graybiel, A.M. and Berson, D.M. (1980) Autoradiographic evidence for a projection from the pretectal nucleus of the optic tract to the dorsal lateral geniculate complex in the cat. *Brain Res.*, 195:1-12.
- 34. Berson, D.M. and Graybiel, A.M. (1980) Some cortical and subcortical fiber projections to the accessory optic nuclei in the cat. *Neuroscience*, 5:2203-2217.
- 35. Olson, C.R. and Graybiel, A.M. (1980) Sensory maps in the claustrum of the cat. *Nature*, 288:479-481.
- 36. Ragsdale, C.W., Jr. and Graybiel, A.M. (1981) The fronto-striatal projection in the cat and monkey and its relationship to inhomogeneities established by acetylcholinesterase histochemistry. *Brain Res.*, 208:259-266.
- 37. Graybiel, A.M., Ragsdale, C.W., Jr., Yoneoka, E.S., and Elde, R.P. (1981) An immunohistochemical study of enkephalins and other neuropeptides in the striatum of the cat with evidence that the opiate peptides are arranged to form mosaic patterns in register with the striosomal compartments visible by acetylcholinesterase staining. *Neuroscience*, 6:377-397.
- 38. Graybiel, A.M. and Berson, D.M. (1981) On the relation between transthalamic and transcortical pathways in the visual system. In: *The Organization of the Cerebral Cortex*. F.O. Schmitt, F.G. Worden and F. Dennis, Eds. Cambridge: MIT, pp. 285-319.
- 39. Graybiel, A.M. and Berson, D.M. (1981) Families of related cortical areas in the extrastriate visual system: summary of a hypothesis. In: *Cortical Sensory Organization. Vol. 2: Multiple Visual Areas*, C.N. Woolsey, Ed. Clifton, NJ: Humana, pp. 103-120.
- 40. Graybiel, A.M., Pickel, V.M., Joh, T.J., Reis, D.J., and Ragsdale, Jr., C.W. (1981) Direct demonstration of a correspondence between the dopamine islands and acetylcholinesterase patches in the developing striatum. *Proc. Natl. Acad. Sci. U S A*, 78:5871-5875.

- 41. Graybiel, A.M. and Hickey, T.L. (1982) Chemospecificity of ontogenetic units in the striatum: demonstration by combining [ H]thymidine neuronography and histochemical staining. *Proc. Natl. Acad. Sci. U S A*, 79:198-202.
- 42. Graybiel, A.M. (1982) Correlative studies of histochemistry and fiber connections in the central nervous system. In: *Cytochemical Methods in Neuroanatomy*, V. Chan-Palay and S.L. Palay, Eds. New York: A.R. Liss, pp. 45-67.
- 43. Graybiel, A.M. and Ragsdale, Jr., C.W. (1982) Pseudocholinesterase staining in the primary visual pathway of the macaque monkey. *Nature*, 299:439-442.
- 44. Berson, D.M. and Graybiel, A.M. (1983) Subsystems within the visual association cortex as delineated by their thalamic and transcortical affiliations. In: *Molecular and Cellular Interactions Underlying Higher Brain Function*, J.-P. Changeux, J. Glowinski, M. Imbert, and F.E. Bloom, Eds. Amsterdam: Elsevier, pp. 229-238.
- 45. Olson, C.R. and Graybiel, A.M. (1983) An outlying visual area in the cerebral cortex of the cat. In: *Molecular and Cellular Interactions Underlying Higher Brain Function*, J.-P. Changeux, J. Glowinski, M. Imbert, and F.E. Bloom, Eds. Amsterdam: Elsevier, pp. 239-245.
- 46. Graybiel, A.M. (1983) Compartmental organization of the mammalian striatum. In: *Molecular and Cellular Interactions Underlying Higher Brain Function*, J.-P. Changeux, J. Glowinski, M. Imbert, and F.E. Bloom, Eds. Amsterdam: Elsevier, pp. 247-256.
- 47. Berson, D.M. and Graybiel, A.M. (1983) Organization of the striate-recipient zone of the cat's lateralis posterior-pulvinar complex and its relations with the geniculostriate system. *Neuroscience*, 9:337-372.
- 48. Edley, S.M. and Graybiel, A.M. (1983) The afferent and efferent connections of the feline nucleus tegmenti pedunculopontinus pars compacta. *J. Comp. Neurol.*, <u>217</u>:187-215.
- 49. Graybiel, A.M. and Elde, R.P. (1983) Somatostatin-like immunoreactivity characterizes neurons of the nucleus reticularis thalami in the cat and monkey. *J. Neurosci.*, <u>3</u>:1308-1321.
- 50. Oertel, W., Graybiel, A.M., Mugnaini, E., Elde, R.P., Schmechel, D.E., and Kopin, I.J. (1983) Coexistence of glutamic acid decarboxylase- and somatostatin-like immunoreactivity in neurons of the feline nucleus reticularis thalami. *J. Neurosci.*, 3:1322-1332.
- 51. Graybiel, A.M. and Ragsdale, Jr., C.W. (1983) Biochemical anatomy of the striatum. In: *Chemical Neuroanatomy*, P.C. Emson, Ed. New York: Raven, pp. 427-504.
- 52. Chesselet, M.-F. and Graybiel, A.M. (1983) Met-enkephalin-like and dynorphin-like immunoreactivities of the basal ganglia of the cat. *Life Sci.*, <u>33 (Suppl. 1)</u>:37-40.
- 53. Roffler-Tarlov, S. and Graybiel, A.M. (1984) Weaver mutation has differential effects on the dopamine-containing innervation of the limbic and nonlimbic striatum. *Nature*, 307:62-66.
- 54. Graybiel, A.M., Brecha, N., and Karten, H.J. (1984) Cluster-and-sheet pattern of enkephalin-like immunoreactivity in the superior colliculus of the cat. *Neuroscience*, <u>12</u>:191-214.
- 55. Graybiel, A.M. (1984) Neurochemically specified subsystems in the basal ganglia. In: *Functions of the basal ganglia*, D. Evered and M. O'Connor, Eds. London: Pitman, pp. 114-149.
- 56. Graybiel, A.M. (1984) Modular patterning in the development of the striatum. In: *Cortical Integration: Basic, Archicortical and Cortical Association Levels of Neural Integration*, F. Reinoso-Suárez and C. Ajmone-Marsan, Eds. New York: Raven, pp. 223-235.
- 57. Graybiel, A.M. (1984) Correspondence between the dopamine islands and striosomes of the mammalian striatum. *Neuroscience*, <u>13</u>:1157-1187.
- 58. Graybiel, A.M. and Chesselet, M.-F. (1984) Compartmental distribution of striatal cell bodies expressing [Met]enkephalin-like immunoreactivity. *Proc. Natl. Acad. Sci. U S A*, 81:7980-7984.
- 59. Illing, R.-B. and Graybiel, A.M. (1985) Convergence of afferents from frontal cortex and substantia nigra onto acetylcholinesterase-rich patches of the cat's superior colliculus. *Neuroscience*, <u>14</u>:455-482.
- 60. Lynch, J.C., Graybiel, A.M., and Lobeck, L.J. (1985) The differential projection of two cytoarchitectonic subregions of the inferior parietal lobule of macaque upon the deep layers of the superior colliculus. *J. Comp. Neurol.*, 235:241-254.
- 61. Nastuk, M.A. and Graybiel, A.M. (1985) Patterns of muscarinic cholinergic binding in the striatum and their relation to dopamine islands and striosomes. *J. Comp. Neurol.*, <u>237</u>:176-194.

- 62. Sandell, J.H., Graybiel, A.M., and Chesselet, M.-F. (1986) A new enzyme marker for striatal compartmentalization: NADPH diaphorase activity in the caudate nucleus and putamen of the cat. *J. Comp. Neurol.*, <u>243</u>:326-334.
- 63. Graybiel, A.M. (1986) Neuropeptides in the basal ganglia. In: *Neuropeptides in Neurologic and Psychiatric Disease*, J.B. Martin and J.D. Barchas, Eds. New York: Raven, pp. 135-161.
- 64. Chesselet, M.-F. and Graybiel, A.M. (1986) Striatal neurons expressing somatostatin-like immunoreactivity: evidence for a peptidergic interneuronal system in the cat. *Neuroscience*, 17:547-571.
- 65. Graybiel, A.M. (1986) Dopamine-containing innervation of the striatum: Subsystems and their striatal correspondents. In: *Recent Developments in Parkinson's Disease*, S. Fahn et al., Eds. New York: Raven, pp. 1-16.
- 66. Illing, R.-B. and Graybiel, A.M. (1986) Complementary and non-matching afferent compartments in the cat's superior colliculus: Innervation of the acetylcholinesterase-poor domain of the intermediate gray layer. *Neuroscience*, 18:373-394.
- 67. Roffler-Tarlov, S. and Graybiel, A.M. (1986) Expression of the weaver gene in dopamine-containing neural systems is dose-dependent and affects both striatal and nonstriatal regions. *J. Neurosci*, 6:3319-3330.
- 68. Malach, R. and Graybiel, A.M. (1986) Mosaic architecture of the somatic sensory-recipient sector of the cat's striatum. *J. Neurosci.*, 6:3436-3458.
- 69. Graybiel, A.M., Baughman, R.W., and Eckenstein, F. (1986) Cholinergic neuropil of the striatum observes striosomal boundaries. *Nature*, 323:625-627.
- 70. Graybiel, A.M., Hirsch, E.C., and Agid, Y.A. (1987) Differences in tyrosine hydroxylase-like immunoreactivity characterize the mesostriatal innervation of striosomes and extrastriosomal matrix at maturity. *Proc. Natl. Acad. Sci. U S A*, 84:303-307.
- 71. Izzo, P.N., Graybiel, A.M., and Bolam, J.P. (1987) Characterization of substance P- and [Met]enkephalin-immunoreactive neurons in the caudate nucleus of cat and ferret by a single section Golgi procedure. *Neuroscience*, 20:577-587.
- 72. Malach, R. and Graybiel, A.M. (1987) The somatic sensory corticostriatal projection: Patchwork of somatic sensory zones in the extrastriosomal matrix. In: *Basal Ganglia and Behavior: Sensory Aspects of Motor Functioning*, J.S. Schneider and T.I. Lidsky, Eds. Toronto: H. Huber, pp. 11-16.
- 73. Olson, C.R. and Graybiel, A.M. (1987) Ectosylvian visual area of the cat: location, retinotopic organization, and connections. *J. Comp. Neurol.*, 261:277-294.
- 74. Hirsch, E.C., Graybiel, A.M., Duyckaerts, C., and Javoy-Agid, F. (1987) Neuronal loss in the pedunculopontine tegmental nucleus in Parkinson's disease and in progressive supranuclear palsy. *Proc. Natl. Acad. Sci. U S A*, 84:5976-5980.
- 75. Jimenez-Castellanos, J. and Graybiel, A.M. (1987) Subdivisions of the dopamine-containing A8-A9-A10 complex identified by their differential mesostriatal innervation of striosomes and extrastriosomal matrix. *Neuroscience*, 23:223-242.
- 76. Graybiel, A.M. and Newman-Gage, H. (1987) Ontogeny of dopaminergic systems in the basal ganglia. In: *Extrapyramidal Disorders in Childhood*, L. Angelini et al., Eds. Amsterdam: Elsevier, pp. 1-10.
- 77. Jimenez-Castellanos, J. and Graybiel, A.M. (1987) Subdivisions of the primate substantia nigra pars compacta detected by acetylcholinesterase histochemistry. *Brain Res.*, <u>437</u>:349-354.
- 78. Roffler-Tarlov, S. and Graybiel, A.M. (1987) Weaver—A mutant gene that affects the basal ganglia. In: *Basal Ganglia II: Structure and Function: Current Concepts*, M.B. Carpenter and A. Jayaraman, Eds. New York: Plenum, pp. 443-457.
- 79. Roffler-Tarlov, S. and Graybiel, A.M. (1987) The postnatal development of the dopamine-containing innervation of dorsal and ventral striatum: effects of the weaver gene. *J. Neurosci.*, 7:2364-2372.
- 80. Bolam, J.P., Izzo, P.N., and Graybiel, A.M. (1988) Cellular substrates of the histochemically defined striosome/matrix system of the caudate nucleus: a combined Golgi and immunocytochemical study in rat and ferret. *Neuroscience*, 24:853-875.
- 81. Nastuk, M.A. and Graybiel, A.M. (1988) Autoradiographic localization and biochemical characteristics of M1 and M2 muscarinic binding sites in the striatum of the cat, monkey, and human. *J. Neurosci.*, 8:1052-1062.

- 82. Ragsdale, C.W., Jr. and Graybiel, A.M. (1988) Fibers from the basolateral nucleus of the amygdala selectively innervate striosomes in the caudate nucleus of the cat. *J. Comp. Neurol.*, 269:506-522.
- 83. Besson, M.-J., Graybiel, A.M., and Nastuk, M.A. (1988) [<sup>3</sup>H]SCH 23390 binding to D<sub>1</sub> dopamine receptors in the basal ganglia of the cat and primate: delineation of striosomal compartments and pallidal and nigral subdivisions. *Neuroscience*, 26:101-119.
- 84. Hirsch, E., Graybiel, A.M., and Agid, Y.A. (1988) Melanized dopaminergic neurons are differentially susceptible to degeneration in Parkinson's disease. *Nature*, 334:345-348.
- 85. Newman-Gage, H. and Graybiel, A.M. (1988) Expression of calcium/calmodulin-dependent protein kinase in relation to dopamine islands and synaptic maturation in the cat striatum. *J. Neurosci.*, <u>8</u>:3360-3375.
- 86. Ragsdale, C.W., Jr. and Graybiel, A.M. (1988) Multiple patterns of thalamostriatal innervation in the cat. In: *Cellular Thalamic Mechanisms*, M. Bentivoglio and R. Spreafico, Eds. Amsterdam: Elsevier, pp. 261-267.
- 87. Graybiel, A.M. (1989). Dopaminergic and cholinergic systems in the striatum. In: *Neural Mechanisms in Disorders of Movement*, A.R. Crossman and M.A. Sambrook, Eds. London: J. Libbey, pp. 3-15.
- 88. Hirsch, E.C., Graybiel, A.M., and Agid, Y. (1989) Selective vulnerability of pigmented dopaminergic neurons in Parkinson's disease. *Acta Neurol. Scand. (Suppl.)*, 126:19-22.
- 89. Hirsch, E.C., Graybiel, A.M., Hersh, L.B., Duyckaerts, C., and Agid, Y. (1989) Striosomes and extrastriosomal matrix contain different amounts of immunoreactive choline acetyltransferase in the human striatum. *Neurosci. Lett.*, 96:145-150.
- 90. Graybiel, A.M., Besson, M.-J., and Weber, E. (1989) Neuroleptic-sensitive binding sites in the nigrostriatal system: Evidence for a differential distribution of sigma sites in the substantia nigra, pars compacta of the cat. *J. Neurosci.*, 9:326-338.
- 91. Ohta, K., Graybiel, A.M., and Roffler-Tarlov, S. (1989) Dopamine D<sub>1</sub> binding sites in the striatum of the mutant mouse weaver. *Neuroscience*, 28:69-82.
- 92. Jimenez-Castellanos, J. and Graybiel, A.M. (1989) Evidence that histochemically distinct zones of the primate substantia nigra pars compacta are related to patterned distributions of nigrostriatal projection neurons and striatonigral fibers. *Exp. Brain Res.*, 74:227-238.
- 93. Nastuk, M.A. and Graybiel, A.M. (1989) Ontogeny of M1 and M2 muscarinic binding sites in the striatum of the cat: relationships to one another and to striatal compartmentalization. *Neuroscience*, 33:125-147.
- 94. Jimenez-Castellanos, J. and Graybiel, A.M. (1989) Compartmental origins of striatal efferent projections in the cat. *Neuroscience*, <u>32</u>:297-321.
- 95. Langer, L.F. and Graybiel, A.M. (1989) Distinct nigrostriatal projection systems innervate striosomes and matrix in the primate striatum. *Brain Res.*, 498:344-350.
- 96. Graybiel, A.M., Liu, F.-C., and Dunnett, S.B. (1989) Intrastriatal grafts derived from fetal striatal primordia: I. phenotypy and modular organization. *J. Neurosci.*, <u>9</u>:3250-3271.
- 97. Graybiel, A.M. and Moratalla, R. (1989) Dopamine uptake sites in the striatum are distributed differentially in striosome and matrix compartments. *Proc. Natl. Acad. Sci. U S A*, <u>86</u>:9020-9024.
- 98. Graybiel, A.M., Ohta, K., and Roffler-Tarlov, S. (1990) Patterns of cell and fiber vulnerability in the mesostriatal system of the mutant mouse weaver: I. Gradients and compartments. *J. Neurosci.*, 10:720-733.
- 99. Roffler-Tarlov, S., Pugatch, D., and Graybiel, A.M. (1990) Patterns of cell and fiber vulnerability in the mesostriatal system of the mutant mouse weaver: II. High affinity uptake sites for dopamine. *J. Neurosci.*, 10:734-740.
- 100. Giménez-Amaya, J.-M. and Graybiel, A.M. (1990) Compartmental origins of the striatopallidal projection in the primate. *Neuroscience*, 34:111-126.
- 101. Liu, F.-C., Graybiel, A.M., Dunnett, S.B., and Baughman, R.W. (1990) Intrastriatal grafts derived from fetal striatal primordia: II. Reconstitution of cholinergic and dopaminergic systems. *J. Comp. Neurol.*, 295:1-14.
- 102. Ragsdale, C.W., Jr. and Graybiel, A.M. (1990) A simple ordering of neocortical areas established by the compartmental organization of their striatal projections. *Proc. Natl. Acad. Sci. U S A*, 87:6196-6199.
- 103. Graybiel, A.M. (1990) Neurotransmitters and neuromodulators in the basal ganglia. *Trends Neurosci.*, 13:244-254.

- 104. Graybiel, A.M., Liu, F.-C., and Dunnett, S.B. (1990) Cellular reaggregation *in vivo*: modular patterns in intrastriatal grafts derived from fetal striatal primordia. *Prog. Brain Res.*, 82:401-405.
- 105. Graybiel, A.M, Moratalla, R., and Robertson, H. A. (1990) Amphetamine and cocaine induce drug-specific activation of the c-fos gene in striosome-matrix compartment and limbic subdivisions of the striatum. *Proc. Natl. Acad. Sci. U S A*, 87:6912-6916.
- 106. Graybiel, A.M., Hirsch, E.C., and Agid, Y. (1990) The nigrostriatal system in Parkinson's disease. In: *Parkinson's Disease: Anatomy, Pathology, and Therapy*, M.B. Streifler, A.D. Korczyn, E. Melamed, and M.B.H. Youdim, Eds. New York: Raven, pp. 17-29.
- 107. Agid, Y., Graybiel, A.M., Ruberg, M., Hirsch, E., Blin, J., Dubois, B., and Javoy-Agid, F. (1990) The efficacy of levodopa treatment declines in the course of Parkinson's disease: do non-dopaminergic lesions play a role? In: *Parkinson's Disease: Anatomy, Pathology, and Therapy*, M.B. Streifler, A.D. Korczyn, E. Melamed, and M.B.H. Youdim, Eds. New York: Raven, pp. 83-99.
- 108. Graybiel, A.M. (1990) The basal ganglia and the initiation of movement. Rev. Neurol. (Paris), 146:570-574.
- 109. Besson, M.J., Graybiel, A.M., and Quinn, B. (1990) Co-expression of neuropeptides in the cat's striatum: an immunohistochemical study of substance P, dynorphin B and enkephalin. *Neuroscience*, <u>39</u>:33-58.
- 110. Quinn, B., Graybiel, A.M., Moratalla, R., Langston, J.W., Roffler-Tarlov, S., and Ohta, K. (1990) Patterns of vulnerability of mesostriatal neurons. In: *Basic, Clinical, and Therapeutic Aspects of Alzheimer's and Parkinson's Diseases, Vol. I*, T. Nagatsu, A. Fisher and M. Yoshida, Eds. New York: Plenum, pp. 207-212.
- 111. Besson, M.-J., Graybiel, A.M., and Quinn, B. (1991) Coexpression of neuropeptides and glutamic acid decarboxylase in cat striatal neurons: dependence on striosomal compartmentation. In: *Basal Ganglia III*, G. Bernardi et al., Eds. New York: Plenum, pp. 29-38.
- 112. Graybiel, A.M., Flaherty, A.W., and J.-M. Giménez-Amaya. (1991) Striosomes and matrisomes. In: *Basal Ganglia III*, G. Bernardi et al, Eds. New York: Plenum, pp. 3-12.
- 113. Langer, L.F., Jiménez-Castellanos, J., and Graybiel, A.M. (1991) The substantia nigra and its relations with the striatum in the monkey. In: *Role of the Forebrain in Sensation and Behavior*, G. Holstege, Ed. Amsterdam: Elsevier, pp. 81-99.
- 114. Giménez-Amaya, J.-M. and Graybiel, A.M. (1991) Modular organization of projection neurons in the matrix-compartment of the primate striatum. *J. Neurosci.*, <u>11</u>:779-791.
- 115. Ma, T.P., Graybiel, A.M., and Wurtz, R.H. (1991) Location of saccade-related neurons in the macaque superior colliculus. *Exp. Brain Res.*, <u>85</u>:21-35.
- 116. Berson, D.M., Graybiel, A.M., Bowen, W.D., and Thompson, L.A. (1991) Evidence for intrinsic expression of enkephalin-like immunoreactivity and opioid binding sites in cat superior colliculus. *Neuroscience*, 43:513-529.
- 117. Nastuk, M.A. and Graybiel, A.M. (1991) Pharmacologically defined M1 and M2 muscarinic cholinergic binding sites in the cat's substantia nigra: development and maturity. *Brain Res. Devel. Brain Res.*, 61:1-10.
- 118. Robertson, H.A., Paul, M.L., Moratalla, R., and Graybiel, A.M. (1991) Expression of the immediate early gene *c-fos* in basal ganglia: Induction by dopaminergic drugs. *Can. J. Neurol. Sci*, <u>18</u>:380-383.
- 119. Liu, F.-C., Dunnett, S.B., Robertson, H.A., and Graybiel, A.M. (1991) Intrastriatal grafts derived from fetal striatal primordia. III. Induction of modular patterns of Fos-like immunoreactivity by cocaine. *Exp. Brain Res.*, <u>85</u>, 501-506.
- 120. Ragsdale, C.W., Jr. and Graybiel, A.M. (1991) Compartmental organization of the thalamostriatal connection in the cat. *J. Comp. Neurol.*, 311:134-167.
- 121. Graybiel, A.M. (1991) Immediate-early genes and the CNS. Neurosci. Facts, 2(21):14.
- 122. Flaherty, A.W. and Graybiel, A.M. (1991) Corticostriatal transformations in the primate somatosensory system. Projections from physiologically mapped body-part representations. *J. Neurophysiol.*, <u>66</u>:1249-1263.
- 123. Graybiel, A.M. (1991) Dynamic gene regulation in striatal neurons: perspectives in memorial to Dr. Kyoji Maekawa. *Neurosci. Res.*, 12:41-44.
- 124. Berson, D.M. and Graybiel, A.M. (1991) Tectorecipient zone of cat lateral posterior nucleus: evidence that collicular afferents contain acetylcholinesterase. *Exp. Brain Res.*, <u>84</u>:478-486.

- 125. Graybiel, A.M. (1991) Immediate early gene activation in the striatum: new clue to function and plasticity in the basal ganglia? *IBRO News*, 19(3):7.
- 126. Graybiel, A.M. (1991) Basal ganglia--input, neural activity, and relation to the cortex. *Curr. Opin. Neurobiol.*, 1:644-651.
- 127. Graybiel, A.M. Guide to the anatomy of the brain: basal ganglia. (1992) In: *Encyclopedia of Learning and Memory*, L. Squire, Ed. New York: MacMillan, pp. 204-206.
- 128. Liu, F.-C. and Graybiel, A.M. (1992) Transient calbindin-D<sub>28K</sub>-positive systems in the telencephalon: ganglionic eminence, developing striatum and cerebral cortex. *J. Neurosci.*, <u>12</u>:674-690.
- 129. Hirsch E.C., Mouatt A., Thomasset, M., Javoy-Agid F., Agid Y., and Graybiel A.M. (1992) Expression of calbindin D<sub>28K</sub>-like immunoreactivity in catecholaminergic cell groups of the human midbrain: normal distribution and distribution in Parkinson's disease. *Neurodegeneration*, 1:83-93.
- 130. Moratalla, R., Quinn, B., DeLanney, L.E., Irwin, I., Langston, J.W., and Graybiel, A.M. (1992) Differential vulnerability of primate caudate-putamen and striosome-matrix dopamine systems to the neurotoxic effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine. *Proc. Natl. Acad. Sci. U S A*, 89:3859-3863.
- 131. Liu, F.-C. and Graybiel, A.M. (1992) Heterogeneous development of calbindin-<sub>D28K</sub> expression in the striatal matrix. *J. Comp. Neurol.*, <u>320</u>:304-322.
- 132. Moratalla, R., Robertson, H.A., and Graybiel, A.M. (1992) Dynamic regulation of *NGFI*-A (*zif*268, *egr*1) gene expression in the striatum. *J. Neurosci.*, 12:2609-2622.
- 133. Berretta, S., Robertson, H.A., and Graybiel, A.M. (1992) Dopamine and glutamate agonists stimulate neuron-specific expression of Fos-like protein in the striatum. *J. Neurophysiol.*, <u>68</u>:767-777.
- 134. Schoen, S. and Graybiel, A.M. (1992) 5'-Nucleotidase: a new marker for striosomal organization in the rat caudoputamen. *J. Comp. Neurol.*, 322:566-576.
- 135. Hirsch, E.C., Mouatt, A., Faucheux, B., Bonnet, A.-M., Javoy-Agid, F., Graybiel, A.M., and Agid, Y. (1992) Dopamine, tremor, and Parkinson's disease. *Lancet*, 340:125-126.
- 136. Paul, M.L., Graybiel, A.M., David, J.-C., and Robertson, H.A. (1992) D1-like and D2-like dopamine receptors synergistically activate rotation and c-fos expression in the dopamine-depleted striatum in a rat model of Parkinson's disease. *J. Neurosci.*, 12:3729-3742.
- 137. Parthasarathy, H., Schall, J., and Graybiel, A.M. (1992) Distributed but convergent ordering of corticostriatal projections: analysis of the frontal eye field and the supplementary eye field in the macaque monkey. *J. Neurosci.*, 12:4468-4488.
- 138. Liu, F.-C., Dunnett, S.B., and Graybiel, A.M. (1992) Influence of mesostriatal afferents on the development and transmitter regulation of intrastriatal grafts derived from embryonic striatal primordia. *J. Neurosci.*, 12:4281-4297.
- 139. Abeliovich, A., Gerber, D., Tanaka, O., Katsuki, M., Graybiel, A.M., and Tonegawa, S. (1992) On somatic recombination in the central-nervous-system of transgenic mice. *Science*, 257:404-408.
- 140. Graybiel, A.M. (1993) Acute effects of psychomotor stimulant drugs on gene expression in the striatum. In *Activation of Immediate Early Genes by Drugs of Abuse*. NIH Publication #93-3504:72-81.
- 141. Graybiel, A.M., Moratalla, R., Quinn, B., DeLanney, L.E., Irwin, I., and Langston, J.W. (1993) Early-stage loss of dopamine uptake-site binding in MPTP-treated monkeys. In: *Parkinson's Disease: From Basic Research to Treatment*, H. Narabayashi, T. Nagatsu, N. Yanagisawa, and Y. Mizuno, Eds. New York: Raven, pp. 34-39.
- 142. Moratalla, R., Vickers, E.A., Robertson, H.A., Cochran, B.H., and Graybiel, A.M. (1993) Coordinate expression of c-fos and *jun B* is induced in the rat striatum by cocaine. *J. Neurosci.*, 13:423-433.
- 143. Flaherty, A.W. and Graybiel, A.M. (1993) Two input systems for body representations in the primate striatal matrix: experimental evidence in the squirrel monkey. *J. Neurosci.*, <u>13</u>:1120-1137.
- 144. Berretta, S., Robertson, H.A., and Graybiel, A.M. (1993) Neurochemically specialized projection neurons of the striatum respond differentially to psychomotor stimulants. In: *Chemical Signalling in Basal Ganglia*, Arbuthnott, G.W. and Emson, P.C., Eds. Amsterdam: Elsevier, pp. 201-205.
- 145. Graybiel, A.M. (1993) Functions of the nigrostriatal system. J. Clin. Neurosci., 1:12-17.

- 146. Schoen, S.W. and Graybiel, A.M. (1993) Species-specific patterns of glycoprotein expression in the developing rodent caudoputamen: association of 5'-nucleotidase activity with dopamine islands and striosomes in rat, but with extrastriosomal matrix in mouse. *J. Comp. Neurol.*, 333:578-596.
- 147. Fotuhi, M., Dawson, T.M., Sharp, A.H., Martin, L.J., Graybiel, A.M., and Snyder, S.H. (1993) Phosphoinositide second messenger system is enriched in striosomes: Immunohistochemical demonstration of inositol 1,4,5-trisphosphate receptors and phospholipase C, β and γ in primate basal ganglia. *J. Neurosci.*, 13:3300-3308.
- 148. Liu, F.-C., Dunnett, S.B., and Graybiel, A.M. (1993) Intrastriatal grafts derived from fetal striatal primordia--IV. Host and donor neurons are not intermixed. *Neuroscience*, 55:363-372.
- 149. Walker, R.H., Arbuthnott, G.W., Baughman, R.W., and Graybiel, A.M. (1993) Dendritic domains of medium spiny neurons in the primate striatum: relationships to striosomal borders. *J. Comp. Neurol.*, <u>337</u>:614-628.
- 150. Walker, R.H. and Graybiel, A.M. (1993) Dendritic arbors of spiny neurons in the primate striatum are directionally polarized. *J. Comp. Neurol.*, 337:629-639.
- 151. Flaherty, A.W. and Graybiel, A.M. (1993) Output architecture of the primate putamen. *J. Neurosci.*, <u>13</u>:3222-3237.
- 152. Kimura, M., Aosaki, T., and Graybiel, A.M. (1993) Role of basal ganglia in the acquisition and initiation of learned movement. In: *Role of the Cerebellum and Basal Ganglia in Voluntary Movement*, N. Mano, I. Hamada and M.R. DeLong, Eds. Amsterdam: Elsevier, pp. 83-87.
- 153. Flaherty, A.W. and Graybiel, A.M. (1994) Anatomy of the basal ganglia. In: *Movement Disorders 3*, C.D. Marsden and S. Fahn, Eds. Oxford: Butterworth-Heinemann, pp. 3-27.
- 154. Flaherty, A.W. and Graybiel, A.M. (1994) Input-output organization of the sensorimotor striatum in the squirrel monkey. *J. Neurosci.*, 14:599-610.
- 155. Graybiel, A.M. and Illing, R.-B. (1994) Enkephalin-positive and acetylcholinesterase-positive patch systems in the superior colliculus have matching distributions but distinct developmental histories. *J. Comp. Neurol.*, 340:297-310.
- 156. Illing, R.-B. and Graybiel, A.M. (1994) Pattern formation in the developing superior colliculus: ontogeny of the periodic architecture in the intermediate layers. *J. Comp. Neurol.*, <u>340</u>:311-327.
- 157. Quinn, B. and Graybiel, A.M. (1994) Myeloarchitectonics of the primate caudate-putamen. In: *The Basal Ganglia IV: New Ideas and Data on Structure and Function*, G. Percheron, J.S. McKenzie, and J. Féger, Eds. New York: Plenum, pp. 35-41.
- 158. Roffler-Tarlov, S., Cheng, S., Lin, C.S., Wensley, C.H., Graybiel, A.M., and Gusella, J.F. (1994) The chromosomal location of the murine mutation weaver. *Neurodegeneration*, <u>3</u>:61-72.
- 159. Aosaki, T., Tsubokawa, H., Ishida, A., Watanabe, K., Graybiel, A.M., and Kimura, M. (1994) Responses of tonically active neurons in the primate's striatum undergo systematic changes during behavioral sensorimotor conditioning. *J. Neurosci.*, 14:3969-3984.
- 160. Aosaki, T., Graybiel, A.M., and Kimura, M. (1994) Effect of the nigrostriatal dopamine system on acquired neural responses in the striatum of behaving monkeys. *Science*, 265:412-415.
- 161. Graybiel, A.M., Aosaki, T., Flaherty, A.W., and Kimura, M. (1994) The basal ganglia and adaptive motor control. *Science*, 265:1826-1831.
- 162. Xu, M., Moratalla, R., Gold, L.H., Hiroi, N., Koob, G.F., Graybiel, A.M., and Tonegawa, S. (1994) Dopamine D1 receptor mutant mice are deficient in striatal expression of dynorphin and in dopamine-mediated behavioral responses. *Cell*, 79:729-742.
- 163. Xu, M., Hu, X.-T., Cooper, D.C., Moratalla, R., Graybiel, A.M., White, F.J., and Tonegawa, S. (1994) Elimination of cocaine-induced hyperactivity and dopamine-mediated physiological effects in dopamine D1 receptor mutant mice. *Cell*, 79:945-955.
- 164. Liu, F.-C., Dunnett, S.B., and Graybiel, A.M. (1995) Embryonic striatal grafting: progress and future directions for therapeutic approaches to neurodegenerative diseases of the basal ganglia. In: *Age-Related Dopamine-Dependent Disorders*, M. Segawa and Y. Nomura, Eds. Basel: Karger, pp. 225-234.
- 165. Liu, F.-C., Takahashi, H., McKay, R.D.G., and Graybiel, A.M. (1995) Dopaminergic regulation of transcription factor expression in organotypic cultures of developing striatum. *J. Neurosci.*, 15: 2367-2384.
- 166. Graybiel, A.M. and Kimura, M. (1995) Adaptive neural networks in the basal ganglia. In: *Models of Information Processing in the Basal Ganglia*, J.C. Houk, J.L. Davis, and D.G. Beiser, Eds. Cambridge: MIT, pp. 103-116.

- 167. Graybiel, A.M., Berretta, S., Moratalla, R., Liu, F.-C., and Elibol, B. (1995) Effects of cocaine on immediate-early gene response in striatal neurons. In: *The Neurobiology of Cocaine: Cellular and Molecular Mechanisms*, R.P. Hammer, Ed. Boca Raton: CRC, pp. 215-223.
- 168. Aosaki, T., Kimura, M., and Graybiel, A.M. (1995) Temporal and spatial characteristics of tonically active neurons of the primate's striatum. *J. Neurophysiol.*, 73:1234-1252.
- 169. Graybiel, A. (1995) The basal ganglia. Trends Neurosci., 18:60-62.
- 170. Kimura, M. and Graybiel, A.M. (1995) Role of basal ganglia in sensory motor association learning. In: *Functions of the Cortico-Basal Ganglia Loop*, M. Kimura and A.M. Graybiel, Eds. Tokyo: Springer, pp. 2-17.
- 171. Eblen, F. and Graybiel, A.M. (1995) Highly restricted origin of prefrontal cortical inputs to striosomes in the macaque monkey. *J. Neurosci.*, <u>15</u>:5999-6013.
- 172. Liu, F.-C. and Graybiel, A.M. (1995) Dopamine-mediated signaling in organotypic striatal slice cultures. In: *Molecular and Cellular Mechanisms of Neostriatal Function*, M.A. Ariano and D.J. Surmeier, Eds. New York: Austin, pp. 311-319.
- 173. Flaherty, A.W. and Graybiel, A.M. (1995) Motor and somatosensory corticostriatal projection magnifications in the squirrel monkey. *J. Neurophysiol.*, 74:2638-2648.
- 174. Graybiel, A.M. (1995) Building action repertoires: memory and learning functions of the basal ganglia. *Curr. Opin. Neurobiol.*, 5:733-741.
- 175. Quinn, B. and Graybiel, A.M. (1996) A differentiated silver intensification procedure for the peroxidase-diaminobenzidine reaction. *J. Histochem. Cytochem.*, 44:71-74.
- 176. Roffler-Tarlov, S., Martin, B., Graybiel, A.M., and Kauer, J.S. (1996) Cell death in the midbrain of the murine mutation *weaver*. *J. Neurosci.*, 16:1819-1826.
- 177. Graybiel, A.M. (1996) Basal ganglia: New therapeutic approaches to Parkinson's disease. Curr. Biol., 6:368-371.
- 178. Moratalla, R., Elibol, B., Vallejo, M., and Graybiel, A.M. (1996) Network-level changes in expression of inducible Fos-Jun proteins in the striatum during chronic cocaine treatment and withdrawal. *Neuron*, <u>17</u>:147-156.
- 179. Hiroi, N. and Graybiel, A.M. (1996) Atypical and typical neuroleptic treatments induce distinct programs of transcription factor expression in the striatum. *J. Comp. Neurol.*, 374:70-83.
- 180. Moratalla, R., Xu, M., Tonegawa, S., and Graybiel, A.M. (1996) Cellular responses to psychomotor stimulant and neuroleptic drugs are abnormal in mice lacking the D1 dopamine receptor. *Proc. Natl. Acad. Sci. U S A*, <u>93</u>:14928-14933.
- 181. Liu, F.-C. and Graybiel, A.M. (1996) Spatiotemporal dynamics of CREB phosphorylation: Transient vs. sustained phosphorylation in the developing striatum. *Neuron*, 17:1133-1144.
- 182. Moratalla, R., Vallejo, M., Elibol, B., and Graybiel, A.M. (1996) D1-class dopamine receptors influence cocaine-induced persistent expression of Fos-related proteins in striatum. *NeuroReport*, <u>8</u>:1-5.
- 183. Liu, F.C. and Graybiel, A.M. (1996) Protein phosphatases regulate CREB phosphorylation and Fos expression in the developing striatum. In: *The Basal Ganglia V*, C. Ohye, M. Kimura, and J.S. McKenzie, Eds. New York: Plenum, pp. 97-103.
- 184. Graybiel, A.M. (1997) The basal ganglia and cognitive pattern generators. Schizophr. Bull., 23:459-469.
- 185. Parthasarathy, H.B. and Graybiel, A.M. (1997) Cortically driven immediate-early gene expression reflects modular influence of sensorimotor cortex on identified striatal neurons in the squirrel monkey. *J. Neurosci.*, <u>17</u>:2477-2491.
- 186. Berretta, S., Parthasarathy, H.B., and Graybiel, A.M. (1997) Local release of GABAergic inhibition in the motor cortex induces immediate-early gene expression in indirect pathway neurons of the striatum. *J. Neurosci.*, <u>17</u>:4752-4763.
- 187. Holt, D.J., Graybiel, A.M., and Saper, C.B. (1997) Neurochemical architecture of the human striatum. *J. Comp. Neurol.*, 384:1-25.
- 188. Xu, M., Koeltzow, T.E., Santiago, G.T., Moratalla, R., Cooper, D.C., Hu, X.-T., White, N.M., Graybiel, A.M., White, F.J., and Tonegawa, S. (1997) Dopamine D3 receptor mutant mice exhibit increased behavioral sensitivity to concurrent stimulation of D1 and D2 receptors. *Neuron*, <u>19</u>:837-848.

- 189. Liu, F.-C. and Graybiel, A.M. (1998) Dopamine and calcium signal interactions in the developing striatum: control by kinetics of CREB phosphorylation. In: *Catecholamines: Bridging Basic Science with Clinical Medicine*, D.S. Goldstein, G. Eisenhofer, and R. McCarty, Eds. San Diego, CA: Academic, pp. 682-686.
- 190. Liu, F.-C. and Graybiel, A.M. (1998) Region-dependent dynamics of cAMP response element-binding protein phosphorylation in the basal ganglia. *Proc. Natl. Acad. Sci. U S A*, 95:4708-4713.
- 191. Graybiel, A.M. (1998). Basal ganglia circuits and schizophrenia. The Decade of the Brain, 9:8-10.
- 192. Graybiel, A.M. (1998) Cortico-basal ganglia loop systems. *Progress in Medicine*, 18:1440-1447.
- 193. Liu, F.-C. and Graybiel, A.M. (1998) Activity-regulated phosphorylation of cAMP response element binding protein in the developing striatum: implications for patterning the neurochemical phenotypes of striatal compartments. *Dev. Neurosci.*, 20:229-236.
- 194. Graybiel, A.M. (1998) The basal ganglia and chunking of action repertoires. *Neurobiol. Learn. Mem.*, 70:119-136.
- 195. Kawasaki, H., Springett, G.M., Toki, S., Canales, J.J., Harlan, P., Blumenstiel, J.P., Chen, E.J., Bany, I.A., Mochizuki, N., Ashbacher, A., Matsuda, M., Housman, D.E., and Graybiel, A.M. (1998) A Rap guanine nucleotide exchange factor enriched highly in the basal ganglia. *Proc. Natl. Acad. Sci. U S A*, 95:13278-13283.
- 196. Kawasaki, H., Springett, G.M., Mochizuki, N., Toki, S., Nakaya, M., Matsuda, M., Housman, D.E., and Graybiel, A.M. (1998) A family of cAMP-binding proteins that directly activate Rap1. *Science*, <u>282</u>:2275-2279.
- 197. Matsumoto, N., Hanakawa, T., Maki, S., Graybiel, A.M., and Kimura, M. (1999) Nigrostriatal dopamine system in learning to perform sequential motor tasks in a predictive manner. *J. Neurophysiol.*, <u>82</u>:978-998.
- 198. Berretta, S., Sachs, Z., and Graybiel, A.M. (1999) Cortically driven Fos induction in the striatum is amplified by local dopamine D2-class receptor blockade. *Eur. J. Neurosci.*, 11:4309-4319.
- 199. Damier, P., Hirsch, E.C., Agid, Y., and Graybiel, A.M. (1999) The substantia nigra of the human brain: I. Nigrosomes and the nigral matrix, a compartmental organization based on calbindin D<sub>28K</sub> immunohistochemistry. *Brain*, 122:1421-1436.
- 200. Damier, P., Hirsch, E.C., Agid, Y., and Graybiel, A.M. (1999) The substantia nigra of the human brain: II. Patterns of loss of dopamine-containing neurons in Parkinson's disease. *Brain*, <u>122</u>:1437-1448.
- 201. Anderson, M.E. and Graybiel, A.M. (1999) Basal ganglia and the regulation of movement. In: *Encyclopedia of Life Sciences*. London: Macmillan.
- 202. Graybiel, A.M. and Penney, J.B. (1999) Chemical architecture of the basal ganglia. In: *Handbook of Chemical Neuroanatomy, Vol. 15: The Primate Nervous System, Part III*, F.E. Bloom, A. Björklund and T. Hökfelt, Eds. Amsterdam: Elsevier, pp. 227-284.
- 203. Holt, D.J., Herman, M.M., Hyde, T.M., Kleinman, J.E., Sinton, C.M., German, D.C., Hersh, L.B., Graybiel, A.M., and Saper, C.B. (1999) Evidence for a deficit in cholinergic interneurons in the striatum in schizophrenia. *Neuroscience*, 94:21-31.
- 204. Jog, M.S., Kubota, Y., Connolly, C.I., Hillegaart, V., and Graybiel, A.M. (1999) Building neural representations of habits. *Science*, 286:1745-1749.
- 205. Liu, F.-C. and Graybiel, A.M. (1999) Neural development of the striatal dopamine system. In: *The Development of Dopaminergic Neurons*, U. di Porzio, R. Pernas-Alonso, and C. Perrone-Capano, Eds. Austin, TX: R.G. Landes, pp. 87-100.
- 206. Canales, J.J. and Graybiel, A.M. (2000) Patterns of gene expression and behavior induced by chronic dopamine treatments. *Ann. Neurol.*, 47(Suppl. 1):S53-S59.
- 207. Canales, J.J. and Graybiel, A.M. (2000) A measure of striatal function predicts motor stereotypy. *Nat. Neurosci.*, 3:377-383.
- 208. Gardier, A.M., Moratalla, R., Cuéllar, B., Sacerdote, M., Guibert, B., Lebrec, H., and Graybiel, A.M. (2000) Interaction between the serotoninergic and dopaminergic systems in *d*-fenfluramine-induced activation of c-*fos* and *jun B* genes in rat striatal neurons. *J. Neurochem.*, 74:1363-1373.
- 209. Tan, A., Moratalla, R., Lyford, G.L., Worley, P., and Graybiel, A.M. (2000) The activity-regulated cytoskeletal associated protein Arc is expressed in different striosome-matrix patterns following exposure to amphetamine and cocaine. *J. Neurochem.*, 74:2074-2078.

- 210. Mochizuki, N., Ohba, Y., Kobayashi, S., Otsuka, N., Graybiel, A.M., Tanaka, S., and Matsuda, M. (2000) Crk activation of JNK via C3G and R-Ras. *J. Biol. Chem.*, 275:12667-12671.
- 211. Graybiel, A.M. (2000) The basal ganglia. Curr. Biol., 10:R509-R511.
- 212. Graybiel, A.M., Canales, J.J., and Capper-Loup, C. (2000) Levodopa-induced dyskinesias and dopamine-dependent stereotypies: a new hypothesis. *Trends Neurosci.*, 23 (Suppl.):S71-S77.
- 213. Graybiel, A.M. (2000) Motor and non-motor functions of the basal ganglia. *Kinesis*, <u>5</u>:22-26.
- 214. Graybiel, A.M. and Rauch, S.L. (2000) Toward a neurobiology of obsessive-compulsive disorder. *Neuron*, <u>28</u>:343-347.
- 215. Graybiel, A.M. and Canales, J.J. (2001) The neurobiology of repetitive behaviors: clues to the neurobiology of Tourette syndrome. In: *Tourette Syndrome and Related Disorders*, Cohen, D.J., Goetz, C. and Jankovic, J., Eds. Philadelphia: Lippincott-Williams & Wilkins, pp. 123-131.
- 216. Matsumoto, N., Minamimoto, T., Graybiel, A.M., and Kimura, M. (2001) Neurons in the thalamic CM-Pf complex supply striatal neurons with information about behaviorally significant sensory events. *J. Neurophysiol.*, <u>85</u>:960-976.
- 217. Graybiel, AM (2001) Neural systems V: basal ganglia. Am. J. Psychiatry, 158:21.
- 218. Toki, S., Kawasaki, H., Tashiro, N., Housman, D.E., and Graybiel, A.M. (2001) Guanine nucleotide exchange factors CalDAG-GEFI and CalDAG-GEFII are colocalized in striatal projection neurons. *J. Comp. Neurol.*, 437:398-407.
- 219. Djurfeldt, M., Ekeberg, Ö., and Graybiel, A.M. (2001) Cortex-basal ganglia interaction and attractor states. *Neurocomputing*, 38-40:573-579.
- 220. Graybiel, A.M. and Blazquez, P.M. (2002) Adjusting behavior to context: striatal network functions in learning and memory. In: *Catecholamine Research: From Molecular Insights to Clinical Medicine*, T. Nagatsu, R. Nabeshima, R. McCarthy, and D.D. Goldstein, Eds. New York: Kluwer Academic/Plenum Publishers, pp. 361-364.
- 221. Jog, M.S., Connolly, C.I., Kubota, Y., Iyengar, D.R., Garrido, L., Harlan, R., and Graybiel, A.M. (2002) Tetrode technology: Advances in implantable hardware, neuroimaging, and data analysis techniques. *J. Neurosci. Methods*, 117:141-152.
- 222. Brown, L.L., Feldman, S.M., Smith, D.M., Cavanaugh, J.R., Ackermann, R.F., and Graybiel, A.M. (2002) Differential metabolic activity in the striosome and matrix compartments of the rat striatum during natural behaviors. *J. Neurosci.*, 22:305-314.
- 223. Graybiel, A.M. and Saka, E. (2002) A genetic basis for obsessive grooming. *Neuron*, 33:1-2.
- 224. Blazquez, P., Fujii, N., Kojima, J., and Graybiel, A.M. (2002) A network representation of response probability in the striatum. *Neuron*, 33:973-982.
- 225. Saka, E., Iadarola, M., Fitzgerald, D.J., and Graybiel, A.M. (2002) Local circuit neurons in the striatum regulate neural and behavioral responses to dopaminergic stimulation. *Proc. Natl. Acad. Sci. U S A*, 99:9004-9009.
- 226. Canales, J.J., Capper-Loup, C., Hu, D., Choe, E.S., Upadhyay, U., and Graybiel, A.M. (2002) Shifts in striatal responsivity evoked by chronic stimulation of dopamine and glutamate systems. *Brain*, 125:2353-2363.
- 227. Capper-Loup, C., Canales, J.J., Kadaba, N., and Graybiel, A.M. (2002) Concurrent activation of dopamine D1 and D2 receptors required to evoke neural and behavioral phenotypes of cocaine sensitization. *J. Neurosci.*, 22:6218-6227.
- 228. Graybiel, A.M. Guide to the anatomy of the brain: the basal ganglia. (2002) In: *Encyclopedia of Learning and Memory*, 2nd Ed., J.H. Byrne, Ed. New York: MacMillan.
- 229. Graybiel, A.M. and Kubota, Y. (2003) Understanding corticobasal ganglia networks as part of a habit formation system. In: *Mental and Behavioral Dysfunction in Movement Disorders*, M.-A. Bédard, Y. Agid, S. Chouinard, S. Fahn, A.D. Korczyn, and P. Lespérance, Eds. Totowa, NJ: Humana, pp. 51-57.
- 230. Courtemanche, R., Fujii, N., and Graybiel, A.M. (2003) Synchronous, focally modulated β-band oscillations characterize local field potential activity in the striatum of awake behaving monkeys. *J. Neurosci.*, 23:11741-11752.
- 231. Graybiel, A.M. and Saka, E. (2003) The basal ganglia and the control of action. In: *The New Cognitive Neurosciences, 3rd Ed.*, M.S. Gazzaniga, Ed. Cambridge, MA: MIT Press, pp. 495-510.

- 232. Fujii, N. and Graybiel, A.M. (2003) Representation of action sequence boundaries by macaque prefrontal cortical neurons. *Science*, 301:1246-1249.
- 233. Smith, A.C., Frank, L.M., Wirth, S., Yanike, M., Hu, D., Kubota, Y., Graybiel, A.M., Suzuki, W.A., and Brown, E.N. (2004) Dynamic analysis of learning in behavioral experiments. *J. Neurosci.*, <u>24</u>:447-461.
- 234. Saka, E. and Graybiel, A.M. (2003) Pathophysiology of Tourette syndrome: striatal pathways revisited. *Brain Dev.*, 25 Suppl 1:S15-S19.
- 235. Crittenden, J.R., Bergmeier, W., Zhang, Y., Piffath, C.L., Liang, Y., Wagner, D.D., Housman, D.E., and Graybiel, A.M. (2004) CalDAG-GEFI integrates signaling for platelet aggregation and thrombus formation. *Nat. Med.*, 10:982-986.
- 236. Saka, E., Goodrich, C., Harlan, P., Madras, B., and Graybiel, A.M. (2004) Repetitive behaviors in monkeys are linked to specific striatal activation maps. *J. Neurosci.*, <u>24</u>:7557-7565.
- 237. Graybiel, A.M. (2004) Network-level neuroplasticity in cortico-basal ganglia pathways. *Parkinsonism Relat. Disord.*, 10:293-296.
- 238. Boraud, T., Brown, P., Goldberg, J.A., Graybiel, A.M., and Magill, P.J. (2005) Oscillations in the basal ganglia: The good, the bad, and the unexpected. In: *The Basal Ganglia VIII*, J.P. Bolam, C.A. Ingham, and P.J. Magill, Eds. New York, NY: Springer Science and Business Media, pp. 3-24.
- 239. Fujii, N. and Graybiel, A.M. (2005) Time-varying covariance of neural activities recorded in striatum and frontal cortex as monkeys perform sequential-saccade tasks. *Proc. Natl. Acad. Sci. U S A*, 102:9032-9037.
- 240. Barnes, T.D., Kubota, Y., Hu, D., Jin, D.Z., and Graybiel, A.M. (2005) Activity of striatal neurons reflects dynamic encoding and recoding of procedural memories. *Nature*, 437:1158-1161.
- 241. Graybiel, A.M. (2005) The basal ganglia: learning new tricks and loving it. Curr. Opin. Neurobiol., 15:638-644.
- 242. Bernardi, B., Guidetti, G.F., Campus, F., Crittenden, J.R., Graybiel, A.M., Balduini, C., and Torti, M. (2006) The small GTPase Rap1b regulates the cross-talk between platelet integrin α<sub>2</sub>β<sub>1</sub> and integrin α<sub>IIb</sub>β<sub>3</sub>. *Blood*, 107:2728-2735.
- 243. Grillner, S. and Graybiel, A.M. (2006) Introduction. In: *Microcircuits: The Interface between Neurons and Global Brain Function*, S. Grillner and A.M. Graybiel, Eds. Cambridge, MA: MIT Press, pp. 1-4.
- 244. Bergman, H., Graybiel, A.M., Kimura, M., Plenz, D., Seung, H.S., Surmeier, D.J., and Wickens, J.R. (2006) Microcircuits, molecules and motivated behavior: microcircuits in the striatum. In: *Microcircuits: The Interface between Neurons and Global Brain Function*, S. Grillner and A.M. Graybiel, Eds. Cambridge, MA: MIT Press, pp. 165-191.
- 245. Tippett, L.J., Waldvogel, H.J., Thomas, S.J., Hogg, V.M., van Roon-Mom, W., Synek, B.J., Graybiel, A.M., and Faull, R.L.M. (2007) Striosomes and mood dysfunction in Huntington's disease. *Brain*, 130:206-221.
- 246. DeCoteau, W.E., Thorn, C.A., Gibson, D.J., Courtemanche, R., Mitra, P., Kubota, Y., and Graybiel, A.M. (2007) Learning-related coordination of striatal and hippocampal theta rhythms during acquisition of a procedural maze task. *Proc. Natl. Acad. Sci. U S A*, 104:5644-5649.
- 247. DeCoteau, W.E., Thorn, C., Gibson, D.J., Courtemanche, R., Mitra, P., Kubota, Y., and Graybiel, A.M. (2007) Oscillations of local field potentials in the rat dorsal striatum during spontaneous and instructed behaviors. *J. Neurophysiol.*, 97:3800-3805.
- 248. Bergmeier, W., Goerge, T., Wang, H.-W., Crittenden, J.R., Baldwin, A.C.W., Cifuni, S.M., Housman, D.E., Graybiel, A.M., and Wagner, D.D. (2007) Mice lacking the signaling molecule, CalDAG-GEFI, represent a model for leukocyte adhesion deficiency type III. *J. Clin. Invest.*, <u>117</u>:1699-1707.
- 249. Pasvolsky, R., Feigelson, S.W., Filic, S.S., Simon, A.J., Tal-Lapidot, G., Grabovsky, V., Crittenden, J.R., Amariglio, N., Safran, M., Graybiel, A.M., Rechavi, G., Ben-Dor, S., Etzioni, A., and Alon, R. (2007) A LAD-III syndrome is associated with defective expression of the Rap-1 activator CalDAG-GEFI in lymphocytes, neutrophils, and platelets. *J. Exper. Med.*, 204:1571-1582.
- 250. Weiss, L.A., Shen, Y., Korn, J.M., Arking, D.E., Miller, D.T., Fossdal, R., Saemundsen, E., Stefansson, H., Ferreira, M.A.R., Green, T., Platt, O.S., Ruderfer, D.M., Walsh, C.A., Altshuler, D., Chakravarti, A., Tanzi, R.E., Stefansson, K., Santangelo, S.L., Gusella, J.F., Sklar, P., Wu, B.-L., and Daly, M. J. (2008) Association between microdeletion and microduplication at 16p11.2 and autism. *N.E.J. Med.*, 358:667-675.

- 251. Graybiel, A.M. (2008) Habits, rituals and the evaluative brain. Annu. Rev. Neurosci., 31:359-387.
- 252. Sato, K., Sumi-Ichinose, C. Kaji, R., Ikemoto, K., Nomura, T., Nagatsu, I., Ichinose, H., Ito, M., Sako, W., Nagahiro, S., Graybiel, A.M., and Goto, S. (2008) Differential involvement of striosome and matrix dopamine systems in a transgenic model of dopa-responsive dystonia. *Proc. Natl. Acad. Sci. U S A*, 105:12551-12556.
- 253. Tort, A.B.L., Kramer, M.A., Thorn, C., Gibson, D.J., Kubota, Y., Graybiel, A.M., and Kopell, N.J. (2008) Dynamic cross-frequency couplings of local field potential oscillations in rat striatum and hippocampus during performance of a T-maze task. *Proc. Natl. Acad. Sci. U S A*, 105:20517-20522.
- 254. Graybiel, A.M. (2009) Basal ganglia: habit. In: Squire, L., Ed. *Encyclopedia of Neuroscience*. Oxford: Academic Press, vol. 2, pp. 93-96.
- 255. Crittenden, J.R., Cantuti-Castelvetri, I., Saka, E., Keller-McGandy, C.E., Hernandez, L.F., Kett, L.R., Young, A.B., Standaert, D., and Graybiel, A.M. (2009) Dysregulation of CalDAG-GEFI and CalDAG-GEFII predicts the severity of motor side-effects induced by anti-parkinsonian therapy. *Proc. Natl. Acad. Sci. U S A*, 106:2892-2896.
- 256. Han, X., Qian, X., Bernstein, J.G., Zhou, H.-h., Franzesi, G.T., Stern, P., Bronson, R.T., Graybiel, A.M., Desimone, R., and Boyden, E.S. (2009) Millisecond-timescale optical control of neural dynamics in the nonhuman primate brain. *Neuron*, 62:191-198.
- 257. Kubota, Y., Liu, J., Hu, D., DeCoteau, W.E., Eden, U.T., Smith, A.C., and Graybiel, A.M. (2009) Stable encoding of task structure coexists with flexible coding of task events in mouse sensorimotor striatum. *J. Neurophysiol.*, <u>102</u>: 2142–2160.
- 258. Prerau, M.J., Smith, A.C., Eden, U.T., Kubota, Y., Yanike, M., Suzuki, W., Graybiel, A.M., and Brown, E.N. (2009) Characterizing learning by simultaneous analysis of continuous and binary measures of performance. *J. Neurophysiol.*, 102:3060-3072.
- 259. Graybiel, A.M. and Mink, J.W. (2009) The basal ganglia and cognition. In Gazzaniga, M., Ed. *The Cognitive Neurosciences IV*. Cambridge, MA: MIT Press, pp. 565-585.
- 260. Pennartz, C.M.A., Berke, J.D., Graybiel, A.M., Ito, R., Lansink, C.S., van der Meer, M., Redish, A.D., Smith, K.S., and Voorn, P. (2009) Corticostriatal interactions during learning, memory processing, and decision making. *J. Neurosci.*, 29:12831-12838.
- 261. Jin, D.J., Fujii, N., and Graybiel, A.M. (2009) Neural representation of time in cortico-basal ganglia circuits. *Proc. Natl. Acad. Sci. U S A*, 106:19156-19161.
- 262. Graybiel, A.M. (2009) Dynamic templates for neuroplasticity in the striatum. In: *Dopamine Handbook*, L.L. Iversen, S.D. Iversen, S.B. Dunnett, and A. Björklund, Eds. Oxford, UK: Oxford University Press, pp. 333-338.
- 263. Graybiel, A.M. (2010) Templates for neural dynamics in the striatum: striosomes and matrisomes. In: *Handbook of Brain Microcircuits*, G. Shepherd and S. Grillner, Eds. New York: Oxford University Press, pp. 120-126.
- 264. Erickson, K.I., Boot, W.R., Basak, C., Neider, M.B., Prakash, R.S., Voss, M.W., Graybiel, A.M., Simons, D.J., Fabiani, M., Gratton, G., and Kramer, A.F. (2010) Striatal volume predicts level of video game skill acquisition. *Cereb. Cortex*, 11:2522-2530.
- 265. Crittenden, J.R., Dunn, D.E., Merali, F.I., Woodman, B., Borkowska, A.E., Frosch, M.P., Bates, G.P., Housman, D.E., Lo, D.C., and Graybiel, A.M. (2010) CalDAG-GEFI down-regulation in the striatum as a neuroprotective change in Huntington's Disease. *Hum. Mol. Genet.*, 19:1756-1765.
- 266. Thorn, C.A., Atallah, H., Howe, M., and Graybiel, A.M. (2010) Differential dynamics of activity changes in dorsolateral and dorsomedial striatal loops during learning. *Neuron*, <u>66</u>:781-795.
- 267. Desrochers, T.M., Jin, D.Z., Goodman, N.D., and Graybiel, A.M. (2010) Optimal habits can develop spontaneously through sensitivity to local cost. *Proc. Natl. Acad. Sci. U S A*, <u>107</u>:20512-20517.
- 268. Cantuti-Castelvetri, I., Hernandez, L.F., Keller-McGandy, C., Kett, L.R., Landy, A., Hollingsworth, Z.R., Saka, E., Crittenden, J.R., Nillni, E.A., Young, A.B., Standaert, D.G., and Graybiel, A.M. (2010) Levodopa-induced dyskinesia is associated with increased thyrotropin releasing hormone in the dorsal striatum of hemi-parkinsonian rats. *PloS ONE*, 5:e13861.
- 269. Sako, W., Morigaki, R., Kaji, R., Tooyama, I., Okita, S., Kitazato, K., Nagahiro, S., Graybiel, A.M., and Goto, S. (2011) Identification and localization of a neuron-specific isoform of TAF1 in rat brain: implications for neuropathology of DYT3 dystonia. *Neuroscience*, 189:100-107.

- 270. Desai, M., Kahn, I., Knoblich, U., Bernstein, J., Atallah, H., Kopell, N., Buckner, R.L., Graybiel, A.M., Moore, C.I., and Boyden, E.S. (2011) Mapping brain networks in awake mice using combined optical neural control and fMRI. *J. Neurophysiol.*, 105:1393-1405.
- 271. Kahn, I., Desai, M., Knoblich, U., Bernstein, J., Henniger, M., Graybiel, A.M., Boyden, E.S., Buckner, R.L., and Moore, C.I. (2011) Characterization of the functional MRI response temporal linearity via optical control of neocortical pyramidal neurons. *J. Neurosci.*, 31:15086-15091.
- 272. Barnes, T.D., Mao, J., Hu, D., Kubota, Y., Dreyer, A.A., Stamoulis, C., Brown, E.M., and Graybiel, A.M. (2011) Advance-cueing produces enhanced action-boundary patterning of spike activity in the sensorimotor striatum. *J. Neurophysiol.*, 105:1861-1878.
- 273. Amemori, K.-I., Gibb, L.G., and Graybiel, A.M. (2011) Shifting responsibly: The importance of striatal modularity to reinforcement learning in uncertain environments. *Front. Hum. Neurosci.*, <u>5</u>:47.
- 274. Kitsukawa, T., Nagata, M., Yanagihara, D., Tomioka, R., Utsumi, H., Kubota, Y., Yagi, T., Graybiel, A.M., and Yamamori, T. (2011) A novel instrumented multi-peg running wheel system, step-wheel, for monitoring and controlling complex sequential stepping in mice. *J. Neurophysiol.*, 106:479-487.
- 275. Zhao, S., Ting, J., Atallah, H.E., Qiu, L., Tan, J., Gloss, B., Augustine, G., Deisseroth, K., Luo, M., Graybiel, A.M., and Feng, G. (2011) Cell-type-specific optogenetic mice for dissecting neural circuitry function. *Nat. Methods*, 8:745-752.
- 276. Crittenden, J.R. and Graybiel, A.M. (2011) Basal ganglia disorders associated with imbalances in the striatal striosome and matrix compartments. *Front. Neuroanat.*, <u>5</u>:59.
- 277. Graybiel, A.M. and Morris, R.G. (2011) Editorial Overview. Behavioural and cognitive neuroscience. *Curr. Opin. Neurobiol.*, 21:365-367.
- 278. Howe, M.W., Atallah, H.E., McCool, A., Gibson, D., and Graybiel, A.M. (2011) Habit learning is associated with major shifts in frequencies of oscillatory activity and synchronized spike firing in striatum. *Proc. Natl. Acad. Sci. U S A*, 108:16801-16808.
- 279. Amemori, K.-I. and Graybiel, A.M. (2012) Localized microstimulation of primate pregenual cingulate cortex induces negative decision-making. *Nat. Neurosci.*, 15:776-785.
- 280. Feingold, J., Desrochers, T.M., Fujii, N., Harlan, R., Tierney, P.L., Shimazu, H., Amemori, K.-I., and Graybiel, A.M. (2012) A system for recording neural activity chronically and simultaneously from multiple cortical and subcortical regions in non-human primates. *J. Neurophysiol.*, 107:1979-1995.
- 281. Smith, K.S., Virkud, A., Deisseroth, K., and Graybiel, A.M. (2012) Reversible on-line control of habitual behavior by optogenetic perturbation of medial prefrontal cortex. *Proc. Natl. Acad. Sci. U S A*, <u>109</u>:18932-18937.
- 282. Fletcher, R.R., Amemori, K.-I., Goodwin, M., and Graybiel, A.M. (2012) Wearable wireless sensor platform for studying autonomic activity and social behavior in non-human primates. 34<sup>th</sup> International Conference of the IEEE Engineering in Medicine & Biology Society, San Diego, California, August 28 September 1.
- 283. Surmeier, D.J. and Graybiel, A.M. (2012) A feud that wasn't: Acetylcholine evokes dopamine release in the striatum. *Neuron*, 75:1-3.
- 284. Lemaire, N., Hernandez, L.F., Hu, D., Kubota, Y., Howe, M.W., and Graybiel, A.M. (2012) Effects of dopamine depletion on LFP oscillations in striatum are task- and learning-dependent and are selectively reversed by L-DOPA. *Proc. Natl. Acad. Sci. U S A*, 109:18126-18131.
- 285. Hernandez, L.F., Kubota, Y., Hu, D., Howe, M.W., Lemaire, N., and Graybiel, A.M. (2013) Selective effects of dopamine depletion and L-DOPA therapy on learning-related firing dynamics of striatal neurons. *J. Neurosci.*, 33:4782-4795.
- 286. Smith, K.S. and Graybiel, A.M. (2013) Using optogenetics to study habits. *Brain Res.*, 1511:102-114.
- 287. Smith, K.S. and Graybiel, A.M. (2013) A dual operator view of habitual behavior reflecting cortical and striatal activity dynamics. *Neuron*, <u>79</u>:361-374.
- 288. Burguière, E., Monteiro, P., Feng, G., and Graybiel, A.M. (2013) Optogenetic stimulation of lateral orbitofrontostriatal pathway suppresses compulsive behaviors. *Science*, 340:1243-1246.
- 289. Howe, M.W., Tierney, P.L., Sandberg, S.G., Phillips, P.E.M., and Graybiel, A.M. (2013) Prolonged dopamine signalling in striatum signals proximity and value of distant rewards. *Nature*, 500:575-579.

- 290. Kahn, I., Knoblich, U., Desai, M., Bernstein, J., Graybiel, A.M., Boyden, E.S., Buckner, R.L., and Moore, C.I. (2013) Optogenetic drive of neocortical pyramidal neurons generates fMRI signals that are correlated with spiking activity. *Brain Res.*, 1511:33-45.
- 291. Thorn, C.A. and Graybiel, A.M. (2014) Differential entrainment and learning-related dynamics of spike and local field potential activity in the sensorimotor and associative striatum. *J. Neurosci.*, 34:2845-2859.
- 292. Atallah, H.E., Howe, M.W., McCool, A., and Graybiel, A.M. (2014) Neurons in the ventral striatum exhibit cell-type specific representations of outcome during learning. *Neuron*, 82:1145-1156.
- 293. Smith, K.S. and Graybiel, A.M., (2014) Investigating habits: strategies, technologies, and models. *Front. Neurosci.*, 8:39.
- 294. Crittenden, J.R., Lacey, C.J., Lee, T., Bowden, H.A., and Graybiel, A.M., (2014) Severe drug-induced repetitive behaviors and striatal overexpression of VAChT in ChAT-ChR2-EYFP BAC transgenic mice. *Front. Neural Circuits*, 8:57.
- 295. Graybiel, A.M. and Smith, K.S. (2014) Good habits, bad habits. Sci. Am., 310:38-43.
- 296. Holmes, E.A., Craske, M.G., and Graybiel, A.M. (2014) A call for mental-health science. *Nature*, 511:287-289.
- 297. Schreiweis, C., Bornschein, U., Burguiere, E., Kerimoglu, C., Schreiter, S., Dannemann, M., Goyal, S., Hevers, W., Rea, E., French, C.A., Puliyadi, R., Groszer, M., Fisher, S.E., Mundry, R., Winter, C., Pääbo, S., Enard, W., and Graybiel, A.M. (2014) Humanized Foxp2 accelerates making transitions from declarative to procedural learning. *Proc. Natl. Acad. Sci. U S A*, 111:14253-14258.
- 298. Burguière, E., Monteiro, P., Mallet, L., Feng, G., and Graybiel, A.M. (2015) Striatal circuits, habits, and implications for obsessive-compulsive disorder. *Curr. Opin. Neurobiol.*, <u>30</u>:59-65.
- 299. Amemori, S., Amemori, K., Cantor, M.L., and Graybiel, A.M. (2015) A non-invasive head-holding device for chronic neural recordings in awake behaving monkeys. *J. Neurosci. Methods*, 240:154-160.
- 300. Amemori, K., Amemori, S., and Graybiel, A.M. (2015) Motivation and affective judgments differentially recruit neurons in the primate dorsolateral prefrontal and anterior cingulate cortex. *J. Neurosci.*, 35:1939-1953.
- 301. Newman, H., Liu, F.-C., and Graybiel, A.M. (2015) Dynamic ordering of early generated striatal cells destined to form the striosomal compartment of the striatum. *J. Comp. Neurol.*, <u>523</u>:943-962.
- 302. Friedman, A., Keselman, M., Gibb, L., and Graybiel, A.M (2015) A multi-stage mathematical approach to automated clustering of high-dimensional noisy data. *Proc. Natl. Acad. Sci. U S A*, <u>112</u>:4477-4482.
- 303. Friedman, A., Homma, D., Gibb, L., Amemori, K., Rubin, S., Hood, A., Riad, M., and Graybiel, A.M (2015) A corticostriatal path targeting striosomes controls decision-making under conflict. *Cell*, <u>161</u>:1320-1333.
- 304. Desrochers, T.M., Amemori, K., and Graybiel, A.M. (2015) Habit learning by naive macaques is marked by response sharpening of striatal neurons representing the cost and outcome of acquired action sequences. *Neuron*, 87:853-868.
- 305. Graybiel, A.M. and Grafton, S.T. (2015) The striatum: where skills and habits meet. *Cold Spring Harb. Perspect. Biol.*, 7:a021691.
- 306. Adamantidis, A. et al. (2015) Optogenetics: 10 years after ChR2 in neurons—views from the community. *Nat. Neurosci.*, 18:1202-1212.
- 307. Feingold, J., Gibson, D.J., DePasquale, B., and Graybiel, A.M. (2015) Bursts of beta oscillation differentiate postperformance activity in the striatum and motor cortex of monkeys performing movement tasks. *Proc. Natl. Acad. Sci. U S A*, 112:13687-13692.
- 308. Kalueff, A.V., Stewart, A.M., Song, C., Berridge, K.C., Graybiel, A.M., and Fentress, J.C. (2016) Neurobiology of rodent self-grooming and its value for translational neuroscience. *Nat. Rev. Neurosci.*, <u>17</u>:45-59.
- 309. Smith, K.S. and Graybiel, A.M. (2016) Habit formation coincides with shifts in reinforcement representations in the sensorimotor striatum. *J. Neurophysiol.*, <u>115</u>:1487-1498.
- 310. Smith, K.S. and Graybiel, A.M. (2016) Habit formation. *Dialogues Clin. Neurosci.*, <u>18</u>:33-43.
- 311. Friedman, A., Slocum, J.F., Tyulmankov, D., Gibb, L.G., Altshuler, A., Raungwises, S., Shi, Q., Toro Arana, S.E., Beck, D.W., Sholes, J.E.C., and Graybiel, A.M. (2016) Analysis of complex neural circuits with non-linear multi-dimensional hidden state models. *Proc. Natl. Acad. Sci. U S A*, 113:6538-6543

- 312. Crittenden, J.R. and Graybiel, A.M. (2016) Disease-associated changes in the striosome and matrix compartments of the dorsal striatum. In: *Handbook of Basal Ganglia Structure and Function*, H. Steiner and K.Y. Tseng, Eds. Amsterdam: Elsevier, pp. 801-821.
- 313. Chen, Y.-C., Kuo, H.-Y., Bornschein, U., Takahashi, H., Chen, S.-Y., Lu, K.-M., Chen, G.-M., Lin, J.-R., Lee, Y.-H., Chou, Y.-C., Cheng, S.-J., Chien, C.-T., Enard, W., Hevers, W., Pääbo, S., Graybiel, A.M., and Liu, F.-C. (2016) Foxp2 controls synaptic wiring of corticostriatal circuits and vocal communication by opposing Mef2C. *Nat. Neurosci.*, 2016 Sep 5. [Epub ahead of print]
- 314. Correia, S.S., Lee, A., McGrath, A.G., Graybiel, A.M., and Goosens, K.A. (2016) Amygdala-ventral striatum circuit activation decreases long-term fear. *eLife*, 5:e1266.
- 315. Crittenden, J.R., Tillberg, P.W., Riad, M.H., Shima, Y., Gerfen, C.R., Curry, J., Housman, D.E., Nelson, S.B., Boyden, E.S., and Graybiel, A.M. (2016) Striosome-dendron bouquets highlight a unique striatonigral circuit targeting dopamine-containing neurons. *Proc. Natl. Acad. Sci. U S A*, 2016 Sep 19. [Epub ahead of print]

### Abstracts:

- 1. Graybiel, A.M. (1970) The cortical projection of the pulvinar-posterior complex of the thalamus in the cat. *Anat. Rec.*, 166:309.
- 2. Graybiel, A.M. and Nauta, W.J.H. (1971) Some projections of superior colliculus and visual cortex upon the posterior thalamus of the cat. *Anat. Rec.*, 169:328.
- 3. Graybiel, A.M., Nauta, H.J.W., Lasek, R.J. and Nauta, W.J.H. (1973) Experimental anatomical evidence for a cerebello-olivary pathway in the cat. *Anat. Rec.*, <u>175</u>:332.
- 4. Graybiel, A.M. (1974) Some afferent connections of the oculomotor cortex in the cat. Soc. Neurosci. Abstr.
- 5. Graybiel, A.M. (1974) Some efferents of the pretectal region in the cat. *Anat. Rec.*, 178:365.
- 6. Graybiel, A.M. and Sciascia, T.R. (1975) Origin and distribution of nigrotectal fibers in the cat. *Soc. Neurosci. Abstr.*, 1:174.
- 7. Kaiserman-Abramof, I.R., Graybiel, A.M. and Nauta, W.J.H. (1975) Neural connections of area 17 in an anophthalmic mouse strain. *Soc. Neurosci. Abstr.*, 1:102.
- 8. Graybiel, A.M. (1976) Evidence for a lateral-tegmental projection to the superficial collicular layers and to paramedian midbrain regions in the cat. *Anat. Rec.*, 184:416.
- 9. Langer, T., Sherk, H. and Graybiel, A.M. (1977) The pathway from the cat's superior colliculus to the parabigeminal nucleus: A study of its cells of origin. *Soc. Neurosci. Abstr.*, <u>3</u>:566.
- 10. Graybiel, A.M. and Ragsdale, C.W., Jr. (1978) Striosomal organization of the caudate nucleus: I. Acetylcholinesterase histochemistry of the striatum in the cat, rhesus monkey and human being. *Soc. Neurosci. Abstr.*, 4:44.
- 11. Edley, S.M., Graybiel, A.M. and Ragsdale, C.W., Jr. (1978) Striosomal organization of the caudate nucleus: II. Evidence that neurons in the striatum are grouped in highly branched mosaics. *Soc. Neurosci. Abstr.*, 4:47.
- 12. Berson, D.M. and Graybiel, A.M. (1978) Thalamo-cortical projections and histochemical identification of subdivisions of the LP-pulvinar complex in the cat. *Soc. Neurosci. Abstr.*, <u>4</u>:620.
- 13. Graybiel, A.M. (1978) Connections of the basal ganglia: a general survey. Development and Chemical Specificity of Neurons, Schatzalp/Davos, Switzerland, 11-15 September, 1978.
- 14. Ragsdale, C.W., Jr. and Graybiel, A.M. (1979) Acetylcholinesterase staining in the striatum of the fetal and neonatal cat. *Neurosci. Lett.* (Suppl. 3), S26.
- 15. Graybiel, A.M., Berson, D.M., Langer, T.P. and Colby, C.L. (1979) A pretectal projection to the dorsal lateral geniculate complex in the cat. *Soc. Neurosci. Abstr.*, 5:787.
- 16. Ragsdale, C.W., Jr. and Graybiel, A.M. (1979) Striosomal organization of the caudate nucleus: III. Distribution of afferents from the frontal cortex of the cat. *Soc. Neurosci. Abstr.*, <u>5</u>:79.
- 17. Langer, T.P., Kaneko, C.R.S. and Graybiel, A.M. (1979) Efferent projections of the pontine oculomotor pauser region in the cat. *Soc. Neurosci. Abstr.*, 55:374.
- 18. Moon Edley, S. and Graybiel, A.M. (1980) Connections of the nucleus tegmenti pedunculopontinis, pars compacta (TPc) in cat. *Anat. Rec.*, 196:129A.
- 19. Graybiel, A.M., Ragsdale, C.W., Jr., Yoneoka, E.S. and Elde, R.P. (1980) Opioid peptides, substance P and somatostatin in the striatum: An immunohistochemical study in the cat and kitten. *Soc. Neurosci. Abstr.*, 6:342.
- 20. Olson, C.R. and Graybiel, A.M. (1980) Sensory regions of the cat's claustrum: An anatomical and physiological study. *Soc. Neurosci. Abstr.*, <u>6</u>:123.
- 21. Graybiel, A.M., Ahmad-Mirza, R. and Elde, R.P. (1981) Somatostatin-like immunoreactivity characterizes neurons of the nucleus reticularis thalami in the cat. *Anat. Rec.*, 199:99A.
- 22. Graybiel, A.M., Pickel, V.M., Joh, T.H., Reis, D.J. and Elde, R.P. (1981) Discontinuous distribution of tyrosine hydroxylase immunoreactivity in the striatum of the fetal and neonatal cat and its relation to compartments of acetylcholinesterase staining and met-enkephalin immunoreactivity. *Neurosci. Lett.* (Suppl. 7), S476.
- 23. Graybiel, A.M. (1981) Organization of the afferent and efferent connections of the striatum in relation to histochemically distinct compartments. 8th International Society for Neurochemistry, Nottingham, U.K.

- 24. Graybiel, A.M. and Ragsdale, C.W., Jr. (1981) Dopamine islands and acetylcholinesterase patches are coextensive in the striatum of the fetal cat. *Soc. Neurosci. Abstr.*, 7:849.
- 25. Olson, C.R. and Graybiel, A.M. (1981) A visual area in the anterior ectosylvian sulcus of the cat. *Soc. Neurosci. Abstr.*, 7:831.
- 26. Berson, D.M. and Graybiel, A.M. (1981) Subsystems within the visual association cortex as delineated by their thalamic and transcortical affiliations. International Neurobiology Society, 9th meeting, Abbaye de Fontevraud, France, 1-4 September, 1981.
- 27. Graybiel, A.M. (1981) The architecture of the striatum: Striosomal compartments. International Neurobiology Society, 9th meeting, Abbaye de Fontevraud, France, 1-4 September, 1981.
- 28. Olson, C.R. and Graybiel, A.M. (1981) An outlying cortical area in the cat. International Neurobiology Society, 9th meeting, Abbaye de Fontevraud, France, 1-4 September, 1981.
- 29. Oertel, W., Graybiel, A.M., Mugnaini, E., Elde, R., Schmechel, D. and Kopin, I. (1981) Coexistence of glutamate decarboxylase immunoreactivity and somatostatin-like immunoreactivity in neurons of nucleus reticularis thalami of the cat. *Soc. Neurosci. Abstr.*, 7:223.
- 30. Roffler-Tarlov, S. and Graybiel, A.M. (1982) Bands of acetylcholinesterase (AchE) in cerebellum of normal and mutant mice. American Soc. for Neurochemistry, March, 1982.
- 31. Chesselet, M.-F., Reisine, T.D., Glowinski, J. and Graybiel, A.M. (1982) Striatal somatostatin: immunohistochemistry and effects on dopaminergic transmission. *Soc. Neurosci. Abstr.*, 8:287.
- 32. Graybiel, A.M. and Ragsdale, C.W. (1982) Histochemical subdivisions of the macaque's lateral geniculate body and striate cortex: Demonstration by pseudocholinesterase and acetylcholinesterase staining and effects of eye enucleation. *Soc. Neurosci. Abstr.*, <u>8</u>:705.
- 33. Illing, R.-B. and Graybiel, A.M. (1982) Pseudocholinesterase and acetylcholinesterase staining in cat and monkey retina. *Soc. Neurosci. Abstr.*, 8:133.
- 34. Brown, B.L. and Graybiel, A.M. (1983) Zonal organization in the cerebellar vermis of the cat. Anat. Rec., 205:25A.
- 35. Chesselet, M.-F. and Graybiel, A.M. (1983) Non-matching distributions of enkephalin-like and dynorphin-like immunoreactivity in the basal ganglia of the cat. Internatl. Narcotic Research Conference, Garmisch, Rep. Fed. Germany, June, 1983.
- 36. Roffler-Tarlov, S. and Graybiel, A.M. (1983) Weaver mutation has differential effects on the dopamine innervation of the limbic and non-limbic striatum. *Soc. Neurosci. Abstr.*, <u>9</u>:661.
- 37. Graybiel, A.M., Chesselet, M.-F., Wu, J.-Y., Eckenstein, F. and Joh, T.E. (1983) The relation of striosomes in the caudate nucleus of the cat to the organization of early-developing dopaminergic fibers, GAD-positive neuropil, and CAT-positive neurons. *Soc. Neurosci. Abstr.*, 9:14.
- 38. Lynch, J.C. and Graybiel, A.M. (1983) Comparison of afferents traced to the superior colliculus from the frontal eye fields and from two sub-regions of area 7 of the rhesus monkey. *Soc. Neurosci. Abstr.*, <u>9</u>.
- 39. Ragsdale, C.W., Jr. and Graybiel, A.M. (1983) Butyrylcholinesterase in the dorsal and ventral striatum: Observations of histochemical distributions in adult, fetal and neonatal cats. *Soc. Neurosci. Abstr.*, 9:15.
- 40. Nastuk, M.A. and Graybiel, A.M. (1983) The distribution of muscarinic binding sites in the feline striatum and its relationship to other histochemical staining patterns. *Soc. Neurosci. Abstr.*, <u>9</u>:15.
- 41. Chesselet, M.-F. and Graybiel, A.M. (1983) Subdivisions of the pallidum and the substantia nigra demonstrated by immunohistochemistry. *Soc. Neurosci. Abstr.*, 9:16.
- 42. Brown, B.L. and Graybiel, A.M. (1983) Development of the acetylcholinesterase band pattern in cat cerebellum. *Soc. Neurosci. Abstr.*, 9:1091.
- 43. Illing, R.-B. and Graybiel, A.M. (1983) Organisation and interrelationships of frontal, nigral and bulbospinal afferents to the superior colliculus and periaqueductal gray matter in the cat. *Soc. Neurosci. Abstr.*, <u>9</u>:750.
- 44. Graybiel, A.M. and Chesselet, M.-F. (1984) Distribution of cell bodies expressing substance P, enkephalin and dynorphin B in kitten and cat striatum. *Anat. Rec.*, 208:64A.

- 45. Graybiel, A.M. and Chesselet, M.-F. (1984) Striatal cell bodies expressing dynorphin B-like (DYN) and metenkephalin-like (ENK) immunoreactivities have complementary distributions in kittens and contrasting distributions in cats. Soc. Neurosci. Abstr., 10:514.
- 46. Chesselet, M.-F. and Graybiel, A.M. (1984) Intrastriatal connections: a fluorescent tracer and immunohistochemical study. *Soc. Neurosci. Abstr.*, 10:515.
- 47. Malach, R. and Graybiel, A.M. (1984) Organization of somatosensory corticostriatal projections. *Soc. Neurosci. Abstr.*, <u>10</u>:513.
- 48. Ragsdale, C.W. and Graybiel, A.M. (1984) Further observations on the striosomal organization of frontostriatal projections in cats and monkeys. *Soc. Neurosci. Abstr.*, <u>10</u>:514.
- 49. Roffler-Tarlov, S. and Graybiel, A.M. (1984) The dopamine-containing innervation of the caudoputamen is present at birth in the weaver mutant and forms islands, but fails to develop normally. *Soc. Neurosci. Abstr.*, 10:705.
- 50. Graybiel, A.M. (1984) Neuropeptides in the basal ganglia. Annual meeting of Association for Research in Nervous and Mental Diseases. *Arch. Neurol.*, 41:1221.
- 51. Graybiel, A.M. (1985) Special Lecture: Neurochemical specializations in the basal ganglia: the old motor system in a new light. *Soc. Neurosci. Abstr.*, 11:306.
- 52. Nastuk, M.A. and Graybiel, A.M. (1985) Differential distribution of M1 and M2 muscarinic binding sites in the striatum of the adult and immature cat. *Soc. Neurosci. Abstr.*, 11:204.
- 53. Graybiel, A.M. and Newman-Gage, H. (1985) The developmental relationship between dopamine islands and early striosomal neuron clusters in the fetal cat striatum. *Soc. Neurosci. Abstr.*, 11:205.
- 54. Jimenez-Castellanos, J. and Graybiel, A.M. (1985) The dopamine-containing innervation of striosomes: Nigral subsystems and their striatal correspondents. *Soc. Neurosci. Abstr.*, 11:1249.
- 55. Roffler-Tarlov, S. and Graybiel, A.M. (1985) Dose-dependent expression of the weaver gene on the dopamine-containing innervation of the forebrain and effects outside of the striatum. *Soc. Neurosci. Abstr.*, 11:365.
- 56. Newman-Gage, H. and Graybiel, A.M. (1985) Developmental anatomy of dopamine islands in the caudate nucleus of the cat. *Soc. Neurosci. Abstr.*, <u>11</u>:206.
- 57. Ragsdale, C.W. Jr. and Graybiel, A.M. (1985) Evidence in the cat that thalamostriatal fibers innervate striosome or matrix tissue according to their site of origin. *Soc. Neurosci. Abstr.*, 11:203.
- 58. Graybiel, A.M. and Chesselet, M.-F. (1985) Striosomal distribution of cell bodies containing opioid peptides: Immunohistochemical demonstration in the striatum of cats and primates. International Narcotic Research Conference, 1985.
- 59. Graybiel, A.M. (1985) The compartmental organization of the striatum. *Neurosci. Lett.* (Suppl 22), S409.
- 60. Graybiel, A.M. and Ragsdale, C.W. Jr. (1985) Patterns of expression of butyrylcholinesterase activity in the developing and mature brain. *Neurosci. Lett.* (Suppl 22), S244.
- 61. Graybiel, A.M., Baughman, R.W., Eckenstein, F. (1986) The cholinergic neuropil of the striatum: Immunohistochemical evidence for striosomal organization in primate and cat. 2nd International Basal Ganglia Society Symposium, University of Victoria, British Columbia, 21-23 July, 1986.
- 62. Nastuk, M.A. and Graybiel, A.M. (1986) Autoradiography of M1 and M2 muscarinic binding in the striatum. *Trends in Pharmacol. Sci. Suppl.*, 92-93.
- 63. Newman-Gage, H., Graybiel, A.M. and Matthew, W.D. (1986) Immunoreactivity of synaptic vesicle protein in the striatum: Ontogenetic progression from islandic to diffuse distribution. 2nd International Basal Ganglia Society Symposium, University of Victoria, British Columbia, 21-23 July, 1986.
- 64. Besson, M.-J., Graybiel, A.M., and Quinn, B. (1986) Coexistence of dynorphin B-like and substance P-like immunoreactivity in striatal neurons in the cat. *Soc. Neurosci. Abstr.*, <u>12</u>:876.
- 65. Newman-Gage, H. and Graybiel, A.M. (1986) Synapse-related antibody immunostaining in the developing cat striatum: A light and electron microscopic study. *Soc. Neurosci. Abstr.*, 12:1326.
- 66. Jimenez-Castellanos, J. and Graybiel, A.M. (1986) Innervations of striosomes and extrastriosomal matrix by different subdivisions of the midbrain A8-A9-A10 dopamine-containing cell complex. *Soc. Neurosci. Abstr.*, 12:1327.

- 67. Roffler-Tarlov, S., and Graybiel, A.M. (1986) Effects of the weaver gene on the islandic and diffuse dopamine-containing innervations of the striatum: A biochemical and anatomical study. *Soc. Neurosci. Abstr.*, 12:1327.
- 68. Feigenbaum, L.A., Graybiel, A.M., Vonsattel, J.P., Richardson, E.P. and Bird, E.D. (1986) Striosomal markers in the striatum in Huntington's Disease. *Soc. Neurosci. Abstr.*, <u>12</u>:1328.
- 69. Graybiel, A.M. (1986) Neurotransmitters in the basal ganglia: Chemoarchitecture of the striatum in health and disease. 10th International Congress of Neuropathology, Stockholm, 88.
- 70. Besson, M.-J., Nastuk, M. and Graybiel, A.M. (1987) Autoradiographic localization of D1 dopamine receptors with 3H-SCH 23390 in cat and monkey basal ganglia. Sixth International Catecholamine Symposium, 115.
- 71. Hirsch, E., Graybiel, A.M., and Javoy-Agid, F. (1987) Differences in tyrosine hydroxylase like immunoreactivity characterize the mesostriatal innervation of striosomes and extra-striosomal matrix at maturity. Sixth International Catecholamine Symposium, Jerusalem, 14-19 June, 1987.
- 72. Graybiel, A.M., Dunnett, S.B., Baughman, R.W. and Liu, F.-C. (1987) Cholinergic neurons and neuropil and tyrosine hydroxylase-positive fibers cluster together in circumscribed patches in intrastriatal grafts derived from embryonic striatal donor tissue. 2nd World Congress of Neurosci.
- 73. Roffler-Tarlov, S., Pugatch, D. and Graybiel, A.M. (1987) Early effects of the weaver gene on the dopamine-containing innervation of the dorsal striatum. Sixth International Congress of Pharmacology.
- 74. Graybiel, A.M. (1987) Functional neuroanatomy and neurochemistry of the basal ganglia. 2nd World Congress of Neurosci.
- 75. Graybiel, A.M., Weber, E., Besson, M.-J. and Karuzis, K. (1987) Haloperidol-sensitive sigma receptors in the substantia nigra pars compacta: Autoradiographic evidence for specific anatomical localization of [3H]DTG binding sites. *Soc. Neurosci. Abstr.*, 13:28.
- 76. Jimenez-Castellanos, J. and Graybiel, A.M. (1987) Neurochemical compartmentalization of the substantia nigra pars compacta in the primate. *Soc. Neurosci. Abstr.*, <u>13</u>:27.
- 77. Roffler-Tarlov, S., Graybiel, A.M., Martin, B. and Kauer, J. (1987) The mesencephalic dopamine-containing neurons in the weaver mouse. *Soc. Neurosci. Abstr.*, 13:1599.
- 78. Roffler-Tarlov, S. and Graybiel, A.M. (1987) The development of the mesostriatal dopamine-containing systems is affected by the mutant gene weaver. Dopamine 87: Dopamine Systems and their Regulation. Satellite to IUPHAR Congress of Pharmacology.
- 79. Graybiel, A.M., Ohta, K. and Roffler-Tarlov, S. (1988) Toward a genetic analysis of the striosomal system: patterns of nigrostriatal loss in the mutant mouse weaver. *Soc. Neurosci. Abstr.*, <u>14</u>:1066.
- 80. Hirsch, E.C., Graybiel, A.M. and Agid, Y.A. (1988) Selective vunerability of mesencephalic neuromelanin-pigmented neurons in Parkinson's disease. *Soc. Neurosci. Abstr.*, 14:8.
- 81. Liu, F.-C., Graybiel, A.M. and Dunnett, S.B. (1988) Modular organization of fetal striatal grafts. *Soc. Neurosci. Abstr.*, <u>14</u>:763.
- 82. Gimenez-Amaya, J.M. and Graybiel, A.M. (1988) Compartmental origins of the striatopallidal projection in the primate. *Soc. Neurosci. Abstr.*, 14:156.
- 83. Walker, R.H., Graybiel, A.M., Baughman, R.W. and Arbuthnott, G.W. (1988) A novel method for targeting neurons in a lightly fixed striatal slice preparation. *Soc. Neurosci. Abstr.*, 14:1066.
- 84. Roffler-Tarlov, S. and Graybiel, A.M. (1988) Regional effects of the weaver gene on presynaptic dopamine uptake sites in striatum. *Soc. Neurosci. Abstr.*, 14:1066.
- 85. Feigenbaum, L.A. and Graybiel, A.M. (1988) Heterogeneous striatal afferent connections from distinct regions of the dopamine-containing midbrain of the primate. *Soc. Nurosci. Abstr.*, 14:156.
- 86. Besson, M.-J., Graybiel, A.M. and Quinn, B. (1988) Patterns of coexistence of neuropeptides and glutamic acid decarboxylase in neurons of the feline striatum. *Soc. Neurosci. Abstr.*, <u>14</u>:156.
- 87. Graybiel, A.M. (1988) The dopaminergic-cholinergic balance in extrapyramidal disorders: A new view of the chemical neuroanatomy. Neural Mechanisms in Disorders of Movement, Manchester, 12-14 April, 1988.

- 88. Hirsch, E.C., Graybiel, A.M., Javoy-Agid, F., Cervera, P., Hauw, J.J., Duyckaerts, C. and Agid, Y. (1988) Distribution of seven different neuropeptides in human substantia nigra of control and parkinsonian brains. 9th International Symposium of Parkinson's Disease.
- 89. Hirsch, E.C., Graybiel, A.M., Agid, Y. (1988) Selective vulnerability of the neuromelanin-pigmented subpopulation of dopamine- containing mesencephalic neurons in Parkinson's disease. 9th International Symposium on Parkinson's disease.
- 90. Graybiel, A.M. (1988) The dopaminergic-cholinergic balance in the basal ganglia: A new view of the chemical neuroanatomy. 9th International Symposium on Parkinson's Disease.
- 91. Graybiel, A.M., Newman-Gage, H., Nastuk, M.A., Ragsdale, Jr., C.W. and Liu, F.-C. (1988) Development of opiate patches in relation to striatal maturation. Seventh Meeting of the International Society for Developmental Neuroscience.
- 92. Giménez-Amaya, J.-M. and Graybiel, A.M. (1989) Two types of compartmental ordering of striatopallidal projection neurons in the primate. International Basal Ganglia Society, Third Triennial Meeting.
- 93. Graybiel, A.M., Flaherty, A.W. and Langer, L.F. (1989) Afferent-fiber mosaics in the primate striatum. International Basal Ganglia Society, Third Triennial Meeting.
- 94. Liu, F.-C., Graybiel, A.M. and Dunnett, S.B. (1989) Fetal striatal grafting: potentials and limitations as a neuronal replacement therapy. IIIrd International Symposium on Neural Transplantation, Churchill College, Cambridge, U.K., 6-11 August 1989.
- 95. Gimenez-Amaya, J.-M. and Graybiel, A.M. (1989) Evidence that the extra-striosomal matrix of the primate striatum contains a mosaic of neuronal cell-clusters preferentially projecting to the external and to the internal pallidum. *Soc. Neurosci. Abstr.*, 15:909.
- 96. Roffler-Tarlov, S., Koeleveld, R., Kaniucki, M., Graybiel, A.M. and Bohn, M. (1989) Adrenal medulla implants in the caudoputamen of the mutant mouse weaver. *Soc. Neurosci. Abstr.*, 15:909.
- 97. Liu, F.-C., Graybiel, A.M., Emson, P.C. and Gerfen, C. (1989) Developmental expression of calbindin-28KD in striatum of postnatal rats. *Soc. Neurosci. Abstr.*, 15:909.
- 98. Flaherty, A.W., Graybiel, A.M., Sur, M. and Garraghty, P. (1989) Distinctive patterns of projections to striatum from physiologically mapped somatosensory representations in primate cortex. *Soc. Neurosci. Abstr.*, <u>15</u>:909.
- 99. Langer, L.F. and Graybiel, A.M. (1989) The nigrostriatal pathway in the primate. Symposium: Role of the Forebrain in Sensation and Behavior.
- 100. Graybiel, A.M., Langer, L.F., Jimenez-Castellanos, J., Nastuk, M., Besson, M.-J. Hirsch, E., Agid, Y., Roffler-Tarlov, S., Ohta, K., Quinn, B., Langston, W., Dunnett, S.B., and Liu, F.-C. (1989) Properties of the dopamine-containing mesostriatal projection. Alzheimer's and Parkinson's Diseases: Basic Therapeutic Strategies, Second International Conference, Kyoto, Japan, 8-10 November, 1989.
- 101. Ohta, K. Graybiel, A.M., Roffler-Tarlov, S., and Yoshida, M. (1989) Dopamine D<sub>1</sub> binding sites in the striatum of the weaver mutant mouse. Alzheimer's and Parkinson's Diseases: Basic Therapeutic Strategies, Second International Conference, Kyoto, Japan, 8-10 November, 1989.
- 102. Quinn, B. and Graybiel, A.M. (1989) A novel procedure for fontana silver impregnation and immunohistochemistry on single tissue sections. United States and Canadian Academy of Pathology, Washington, DC, 25-27 April, 1990.
- 103. Quinn, B., Graybiel, A.M., Moratalla, R., and Langston, J.W. (1990) Patterns of depletion of mesostriatal innervation in squirrel monkeys exposed to MPTP. International Congress of Movement Disorders.
- 104. Ma, T., Graybiel, A.M., and Wurtz, R.H. (1990) Distribution of saccade-related neurons in the macaque superior colliculus. Forum in Cellular and Organ Biology.
- 105. Graybiel, A.M., Moratalla, R., Robertson, H.A., and Peterson, M.R. (1990) Cocaine and amphetamine induce the immediate-early gene c-fos in striosome and matrix compartments of the striatum. Soc. Neurosci. Abstr., 16:1232.
- 106. Quinn, B., Graybiel, A.M., Winsky, L. and Jacobowitz, D.M. (1990) Immunostaining for protein 10 calciumbinding protein forms striosome-related patchwork in the rat. *Soc. Neurosci. Abstr.*, <u>16</u>:1228.
- 107. Flaherty, A.M. and Graybiel, A.M. (1990) Proprioception and the striatum: primate somatosensory cortical area 3A projects more broadly to the striatum than do areas 3B or 1. *Soc. Neurosci. Abstr.*, 16:1231.

- 108. Parthasarathy, H.B., Schall, J.D., and Graybiel, A.M. (1990) Dual-tracer comparison of the corticostriatal projections of the frontal eye field and the supplementary eye field in the primate. *Soc. Neurosci. Abstr.*, 16:1231.
- 109. Moratalla, R., Robertson, H.A., DiZio, P.A. and Graybiel, A.M. (1990) Parallel induction of *jun* B and c-*fos* evoked in the striatum by the psychomotor stimulant drugs cocaine and amphetamine. *Soc. Neurosci. Abstr.*, 16:953.
- 110. Liu, F.-C., Graybiel, A.M., and Dunnett, S.B. (1990) Autoradiographic study of fetal striatal grafts placed in host striatum pulse-labeled with [<sup>3</sup>H]-thymidine. *Soc. Neurosci. Abstr.*, <u>16</u>:1286.
- 111. Roffler-Tarlov, S., Graybiel, A.M., and Martin, B. (1990) Genetic perturbation of dendrite formation. *Soc. Neurosci. Abstr.*, 16:932.
- 112. Paul, M.L., Graybiel, A.M., and Robertson, H.A. (1990) Synergistic activation of the immediate-early gene c-fos in striosomes by D1- and D2-selective dopamine agonists. Soc. Neurosci. Abstr., 16:954.
- 113. Robertson, H.A., Graybiel, A.M., and Paul, M.L. (1990) Activation of rat striatal c-Fos by indirect infusion of dopaminergic agonists and forskolin. Soc. Neurosci. Abstr., 16:1232.
- 114. Liu, F.-C., Graybiel, A.M. and Dunnett, S.B. (1990) Selective hypertrophy of calbindin D<sub>28K</sub>-positive neurons in embryonic cortical primordium transplants. Massachusetts Alzheimer's Disease Research Center, Fifth Annual Scientific Poster Session, Massachusetts General Hospital, Boston, MA, 9 November, 1990.
- 115. Quinn, B. and Graybiel, A. M. (1991) Characterization of an enhanced one-bath gold chloride impregnation for neural fibers in human brain. Abstr. submitted to American Neuropath Conference in Baltimore.
- 116. Berretta, S., Robertson, H.A. and Graybiel, A.M. (1991) Immediate-early gene expression induced by the psychostimulant cocaine is specific to subpopulations of striatal projection neurons. *Eur. J. Neurosci.*, Suppl.4:166.
- 117. Moratalla, R., Robertson, H.A. and Graybiel, A.M. (1991) The immediate-early gene NGFI-A (*zif*268, *egr*1) is selectively induced in the striosomal system following acute amphetamine treatment. *Eur. J. Neurosci.*, Suppl.4:274.
- 118. Robertson, H.A., Paul, M.L. David, J.-C., Murphy, K.M., Peterson, M.R. and Graybiel, A.M. (1991) Synergistic activation of the immediate-early gene c-fos in striosomes and dorsolateral caudoputamen by D1- and D2-selective dopamine agonists. *Eur. J. Neurosci.*, Suppl.4:153.
- 119. Paul, M.L., Graybiel, A.M. and Robertson, H.A. (1991) Priming of the D1 dopamine receptor can be dissociated from intrastriatal activation of the immediate-early gene c-FOS. *Eur. J. Neurosci.*, Suppl.4:10.
- 120. Paul, M.L., Graybiel, A.M., Peterson, M.R., and Robertson, H.A. (1991) Priming of a D1-like dopamine receptor and intrastriatal activation of immediate-early genes. *Soc. Neurosci. Abstr.*, <u>17</u>:853.
- 121. Berretta, S., Christie, R., Robertson, H.A. and Graybiel, A.M. (1991) Molecular characteristics of striatal neurons that express Fos on stimulation by indirect dopamine agonists. *Soc. Neurosci. Abstr.*, 17:853.
- 122. Flaherty, A.W. and Graybiel, A.M. (1991) A second input system for body representations in the primate striatal matrix. *Soc. Neurosci. Abstr.*, <u>17</u>:1299.
- 123. Hiroi, N., Robertson, H.A. and Graybiel, A.M. (1991) Fos is induced by the antipsychotic drug clozapine in the rat striatum. *Soc. Neurosci. Abstr.*, 17:685.
- 124. Liu, F.-C., Dunnett, S.B. and Graybiel, A.M. (1991) The influence of TH-containing afferents on the development of modular organization in embryonic striatal grafts. *Soc. Neurosci. Abstr.*, <u>17</u>:853.
- 125. Moratalla, R., Robertson, H.A. and Graybiel, A.M. (1991) NGFI-A mRNA expression is induced in the rat striatum by indirect dopamine agonists. *Soc. Neurosci. Abstr.*, <u>17</u>:853.
- 126. Schoen, S.W. and Graybiel, A.M. (1991) 5'-nucleotidase: a new enzymatic marker for striosomal organization in the rat caudoputamen. *Soc. Neurosci. Abstr.*, <u>17</u>:452.
- 127. Walker, R.H., Arbuthnott, G.W. and Graybiel, A.M. (1991) Intracellular labelling of medium spiny neurons in the primate caudate nucleus: anatomical relationship of dendrites to striosomal borders. *Soc. Neurosci. Abstr.*, 17:456.
- 128. Fotuhi, M., Dawson, T.M., Sharp, A.H., Martin, L.J., Graybiel, A.M. and Snyder, S.H. (1991) The phosphoinositide second messenger system is enriched in striosomes of the primate striatum. *Soc. Neurosci. Abstr.*, 17:854.
- 129. Quinn, B. and Graybiel, A.M. (1991) Fiber architectonics of the striosome-matrix organization of primate caudate-putamen. *Soc. Neurosci. Abstr.*, 17:452.

- 130. Roffler-Tarlov, S. and Graybiel, A.M. (1991) Genetics effects on dopamine uptake sites in the striatum. *Soc. Neurosci. Abstr.*, <u>17</u>:1289.
- 131. Hirsch, E.C., Mouatt, A., Graybiel, A.M., Thomasset, M., Javoy-Agid, F. and Agid, Y. (1991) 28kd Calcium binding protein in midbrain catecholaminergic neurons from control subjects and patients with Parkinson's disease. *Soc. Neurosci. Abstr.*, 17:1289.
- 132. Hirsch, E.C., Mouatt, A., Graybiel, A.M., Thomasset, M., Javoy-Agid, F. and Agid, Y. (1991) Does calcium binding protein play a protective role for midbrain catecholaminergic neurons in Parkinson's disease? 10th International Symp. on Parkinson's Disease, Japan.
- 133. Graybiel, A.M. (1991) Gene regulation and neurochemical specialization of the basal ganglia. ACNP Abstract.
- 134. Johnson, K.K., Blay, J., Graybiel, A.M. and Robertson, H.A. (1991) D-amphetamine and cocaine induce c-fos in the striatum of neonatal and immature rats. Can. Fed. Biol. Sci. Abstr.
- 135. Schoen, S.W., and Graybiel, A.M. (1992) 5'-nucleotidase activity in the developing rodent caudoputamen identifies dopamine islands and striosomes in rat, but extrastriosomal matrix in mouse. ENA Abstr.
- 136. Graybiel, A.M., Moratalla, R., Berretta, S., Hiroi, N., Fusco, E., Brashers-Krug, T., Paul, M.L., Johnson, K., David, J.-C., Vickers, E., Robertson, H.A., and Cochran, B.H. (1992) A New look at the dopamine-containing innervation of striosomes. Seventh International Catecholamine Symposium Abstr., Amsterdam, 22-26 June 1992.
- 137. Aosaki, A., Ishida, A., Watanabe, K., Imai, H., Graybiel, A.M. and Kimura, K. (1992) Effects of dopaminergic agents on the tonically active neurons of the striatum in hemi-parkinsonian monkeys. *Soc. Neurosci. Abstr.*, 18:693.
- 138. Berretta, S., Milbrandt, J., Evan, G. and Graybiel, A.M. (1992) The glutamate agonist quinolinic acid regulates the expression of *NGFI-A*-like immunoreactivity in striatal neurons. *Soc. Neurosci. Abstr.*, <u>18</u>:1043.
- 139. Eblen, F.M. and Graybiel, A.M. (1992) Striosome/matrix affiliations of prefronto-striatal projections in the monkey. *Soc. Neurosci. Abstr.*, 18:309.
- 140. Flaherty, A.W. and Graybiel, A.M. (1992) Input-output modularity of motor and somatosensory processing in the primate basal ganglia. *Soc. Neurosci. Abstr.*, <u>18</u>:309.
- 141. Fusco, E. and Graybiel, A.M. (1992) Cocaine exposure through the maternal circulation selectively increases foslike immunoreactivity in cells of dopamine islands/striosomes of embryonic striatum. *Soc. Neurosci. Abstr.*, 18:1203.
- 142. Liu, F.-C., Dunnett, S.B., and Graybiel, A.M. (1992) Hypertrophy of calbindin-D<sub>28K</sub>-positive and parvalbumin-positive cells in intrastriatal cortical grafts. *Soc. Neurosci. Abstr.*, <u>18</u>:1121.
- 143. Hiroi, N. and Graybiel, A.M. (1992) Effects of chronic clozapine treatment on induction of Fos-like proteins in the striatum. *Soc. Neurosci. Abstr.*, 18:1043.
- 144. Moratalla, R. and Graybiel, A.M. (1992) Opposite effects of reserpine pretreatment on amphetamine-induced and cocaine-induced expression of *zif*268 and c-*fos* mRNAs in rat striatum and cortex. *Soc. Neurosci. Abstr.*, 18:1203.
- 145. Schoen, S.W., and Graybiel, A.M. (1992) 5'-nucleotidase activity in the developing caudoputamen: association with dopamine islands and striosomes in rat, but extrastriosomal matrix in mouse. *Soc. Neurosci. Abstr.*, 18:1205.
- 146. Quinn, B, Toga, A.W., and Graybiel, A.M. (1992) Myeloarchitectonics and the striosome-matrix structure of the caudate-putamen. IVth IBAGS Abst.
- 147. Hiroi, N. and Graybiel, A.M. (1992) Differential effects of clozapine and metoclopramide on induction of fos-like proteins in the rat striatum. International Basal Ganglia Society, Giens, France, 6-9 October, 1992.
- 148. Graybiel, A.M., Berretta, S., Moratalla, R., Hiroi, N., Brashers-Krug, T., Fusco, E., Johnson K., Vickers, E., Cochran, B., and Robertson, H.A. (1992) Psychomotor stimulants induce rapid and specific changes in gene expression in the striatum. EBPS Abstract.
- 149. Aosaki, T., Kimura, K., and Graybiel, A.M. (1992) Physiologically identified tonically active neurons of primate striatum lie in the matrix compartment. IVth International Basal Ganglia Society, Giens, France, 6-9 October, 1992.
- 150. Berretta, S., Robertson, H.A., and Graybiel, A.M. (1992) Dopamine and glutamate agonists induce Fos-like protein in an overlapping subpopulation of DARPP-32-positive but enkephalin-negative striatal neurons. IVth International Basal Ganglia Society, Giens, France, 6-9 October, 1992.

- 151. Moratalla, R., Quinn, B., DeLanney, L.E., Irwin, I., Langston, J.W. and Graybiel, A.M. (1992) MPTP produces differential nigrostriatal degeneration in the striosome-matrix and caudate-putamen subdivisions of the primate's striatum. IV International Basal Ganglia Society, Giens, France, 6-9 October, 1992.
- 152. Flaherty, A.W., and Graybiel, A.M. (1992) Multiple stages of sensorimotor processing in the primate basal ganglia. IVth International Basal Ganglia Society, Giens, France, 6-9 October, 1992.
- 153. Hiroi, N. and Graybiel, A.M. (1993) Atypical and typical neuroleptics differentially activate Fos family members in striatal neurons. *Eur. J. Neurosci.*, Suppl <u>6</u>:263.
- 154. Moratalla, R. and Graybiel, A.M. (1993) Reserpine sensitizes striatal IEG induction by amphetamine but not by cocaine. *Eur. J. Neurosci.*, Suppl <u>6</u>:263.
- 155. Fusco, E. and Graybiel, A.M. (1993) Selective striosomal expression of NGFI-A in developing forebrain. *Eur. J. Neurosci.*, Suppl <u>6</u>:263.
- 156. Aosaki T., Tsubokawa H., Watanabe K., Graybiel A.M., and Kimura M. (1993) Tonically active neurons in the primate striatum acquire responses to sensory stimuli during behavioral conditioning. *Soc. Neurosci. Abstr.*, 19:1585.
- 157. Berretta S. and Graybiel A.M. (1993) Rapid phosphorylation of CREB-like proteins in striatum occurs in response to amphetamine. *Soc. Neurosci. Abstr.*, <u>19</u>:129.
- 158. Brashers-Krug T. and Graybiel A.M. (1993) Dopamine-rich striosomes in the sensorimotor striatum. *Soc. Neurosci. Abstr.*, 19:782.
- 159. Eblen F. and Graybiel A.M. (1993) Highly restricted inputs to striosomes from prefrontal cortex in the macaque monkey. *Soc. Neurosci. Abstr.*, 19:1435.
- 160. Hiroi N. and Graybiel A.M. (1993) Typical and atypical neuroleptics stimulate contrasting patterns of neuropeptide and Fos/FRA expression in the striatum. *Soc. Neurosci. Abstr.*, 19:129.
- 161. Holt D.J., Graybiel A.M., and Saper C.B. (1993) Organization of chemical compartmentalization in the human striatum. *Soc. Neurosci. Abstr.*, 19:1435.
- 162. Kimura M., Aosaki T., and Graybiel A.M. (1993) Differential localization of tonically active neurons of primate striatum in the matrix and striosome/matrix boundaries. *Soc. Neurosci. Abstr.*, 19:1585.
- 163. Liu F.-C., Takahashi H., McKay R.D.G., and Graybiel A.M. (1993) Dopaminergic regulation of gene expression in striatal slice culture. *Soc. Neurosci. Abstr.*, 19:132.
- 164. Moratalla R. and Graybiel A.M. (1993) Reserpine potentiates striatal IEG response to amphetamine through D1-like receptor activation. *Soc. Neurosci. Abstr.*, 19:129.
- 165. Schultz, J.G., Nitsch, R.M., Farber, S.A., Graybiel, A.M., Growdon, J.H., and Wurtman, R.J. (1993) Release of Amyloid β-Protein Precursor Derivatives from various Brain Regions is Stimulated by Electrical Polarization. *Soc. Neurosci. Abstr.*, 19:1037.
- 166. Graybiel, A.M. and A.W. Flaherty (1993) Templates for conditional sensory-motor association learning. Symposium on Functional Linkages between Cerebral Cortex and Basal Ganglia in the Control of Voluntary Movement, Osaka, Japan.
- 167. Damier, P., Hirsch, E.C., Agid, Y. and Graybiel, A.M. (1994) Compartmental patterns of calbindin D<sub>28K</sub> immunoreactivity as a template for assessing dopaminergic neuronal loss in Parkinson's disease brains. 11th Int'l Symposium on Parkinson's Disease, Rome, 26-30 March, 1994.
- 168. Graybiel, A.M. (1994) Dynamic regulation of transcription factors in the basal ganglia. XIXth CINP Congress, Washington, DC.
- 169. Berretta, S., H.B. Parthasarathy, and Graybiel, A.M. (1994) Differential induction of immediate-early genes (IEGs) by cortical activation in striatal neuronal subpopulations. *Soc. Neurosci. Abstr.*, 20:987.
- 170. Damier, P., Hirsch, E.C., Agid, Y., and Graybiel, A.M. (1994) A novel method for assessing dopaminergic neuronal loss in Parkinson's disease. *Soc. Neurosci. Abstr.*, <u>20</u>:1780.
- 171. Elibol, B., Moratalla, R., Hiroi, N. and Graybiel, A.M. (1994) Low vs. high dose and acute vs. subchronic haloperidol treatment induces distinct patterns of immediate-early gene expression in the striatum. *Soc. Neurosci. Abstr.*, 20:990.

- 172. Fusco, E., Milbrandt, J.D., Iadarola, M. J., and Graybiel, A.M. (1994) Prenatal delineation of the striosomal system by selective transcription factor expression. *Soc. Neurosci. Abstr.*, 20:1697.
- 173. Gardier, A.M., Moratalla, R., and Graybiel, A.M. (1994) Effects of 5-HT<sub>1A/IB</sub>and D<sub>1</sub> receptor antagonists on the induction of striatal jun B and fos-like immunoreactivity by dexfenfluramine. *Soc. Neurosci. Abstr.*, 20:1190.
- 174. Hiroi, N., Xu, M., Moratalla, R., Tonegawa, S., and Graybiel, A.M. (1994) Absence of dynorphin-immunoreactive striosomes in the caudoputamen of mice mutant for the dopamine D1 receptor. *Soc. Neurosci. Abstr.*, 20:786.
- 175. Holt, D., Graybiel, A.M., Hyde, T.M., Herman, M.M., Kleinman, J.E., German, D.C., and Saper, C.B. (1994) Decreased density of cholinergic interneurons in the striatum of schizophrenics. *Soc. Neurosci. Abstr.*, <u>20</u>:784.
- 176. Liu, F.-C. and Graybiel, A.M. (1994) Dopamine receptors and calcium channel activation regulate phosphorylation of CREB in organotypic cultures of striatum. *Soc. Neurosci. Abstr.*, <u>20</u>:990.
- 177. Moratalla, R., Elibol, B., and Graybiel, A.M. (1994) Acute and chronic psychomotor stimulants induce different sets of immediate-early genes in the striatum. *Soc. Neurosci. Abstr.*, 20:990.
- 178. Parthasarathy, H.B., Berretta, S., and Graybiel, A.M. (1994) Cortical stimulation induces selective patterns of Jun B expression in the striatum. *Soc. Neurosci. Abstr.*, <u>20</u>:987.
- 179. Xu, M., Gold, L.H., Graybiel, A.M., Hiroi, N., Hu, X.T., Koob, G., Moratalla, R., White, F.J., and Tonegawa, S. (1994) Analysis of dopamine receptor one (D1) deficient mice. *Soc. Neurosci. Abstr.*, 20:643.
- 180. Graybiel, A.M., Aosaki, T., and Kimura, M. (1994) Effects of dopamine depletion on neural activity in the primate striatum. Dopamine '94 Quebec City.
- 181. Graybiel, A.M. (1994) Dopamine and dynamic neural processing in the basal ganglia. 11th Int. Symposium on Parkinson's Disease, Rome, 26-30 March, 1994.
- 182. Graybiel, A.M. (1994) Dynamic neural processing in the basal ganglia. American Neuropsychiatric Association, Newport, RI, 22 July, 1994.
- 183. Graybiel, A.M., Damier, P., Agid, Y. and Hirsch, E.C. (1994) Une nouvelle méthode pour analyser la perte des neurones dopaminergiques au cours de la maladie de Parkinson. Annual Meeting of the French Society of Neuroscience.
- 184. Fusco, E. and Graybiel, A. M. (1995) Temporal and spatial regulation of transcription factor expression in the developing striatum. *Soc. Neurosci. Abstr.*, 21:1043.
- 185. Moratalla, R., Xu., M., Tonegawa, S. and Graybiel, A. M. (1995) Cocaine and amphetamine fail to induce c-Fosand Jun B-like proteins in the striatum of dopamine D1 receoptor mutant mice. *Soc. Neurosci. Abstr.*, 21:1905.
- 186. Liu, F.-C. and Graybiel, A. M. (1995) Differential regulation of CREB phosphorylation by calcineurin in developing striosomes and matrix of organotypic striatal cultures. *Soc. Neurosci. Abstr.*, 21:1424.
- 187. Xu, M., Caine, S.B., Cooper, D.C., Gold, L.H., Graybiel, A.M., Hu, X.T., Koeltzow, T., Koob, G.F., Moratalla, R., White, F.J. and Tonegawa, S. (1995) Analyses of dopamine D3 and D1 receptor mutant mice. *Soc. Neurosci. Abstr.*, 21:363.
- 188. Damier, P., Hirsch, E.C., Agid. Y. and Graybiel, A.M. (1995) Pattern of cell loss in the substantia nigra in Parkinson's disease. *Soc. Neurosci. Abstr.*, 21:1250.
- 189. Connolly, C., Kimura, M. and Graybiel, A.M. (1995) The coordination of degrees of freedom in the striatum. International Basal Ganglia Society, May 1995.
- 190. Liu, F.-C. And Graybiel, A.M. (1995) Regulation of CREB-like protein expression by protein phosphorylates in striatal slice cultures. International Basal Ganglia Society, May 1995.
- 191. Graybiel, A.M. (1995) The basal ganglia and adaptive control of behavioral routines. Israel, June 1995.
- 192. Graybiel, A.M. (1995) To move or not to move: the basal ganglia and adaptive control of behavioral routines. IBRO.
- 193. Barragan, E.I., Fusco, E. and Graybiel, A.M. (1996) Prenatal striatal development in organotypic slice cultures. *Soc. Neurosci. Abstr.*, <u>22</u>:989.
- 194. Berretta, S., Sachs, Z. and Graybiel, A.M. (1996) Blockade of dopamine receptors amplifies cortical activation on induction of immediate-early genes in the striatum. *Soc. Neurosci. Abstr.*, 22:1089.

- 195. Brown, L.L., Goldbloom, L.M., Smith, D.M., Feldman, S.M. and Graybiel, A.M. (1996) Patchy domains of metabolic activity in the striatal matrix compartment. *Soc. Neurosci. Abstr.*, <u>22</u>:1087.
- 196. Damier, P., Agid, Y., Graybiel, A.M. And Hirsch, A.C. (1996) Role of astroglial environment in selectivity of dopaminergic lesion in Parkinson's disease. *Soc. Neurosci. Abstr.*, 22:219.
- 197. Fusco, E. and Graybiel, A.M. (1996) Developmental changes in basal ganglia responsiveness to amphetamine and cocaine. *Soc. Neurosci. Abstr.*, <u>22</u>:410.
- 198. Graybiel, A.M., Parthasarathy, H.B., Flaherty, A.W. and Beretta, S. (1996) Cortically-driven immediate-early gene expression in striatal neurons shows selectivity for enkephalinergic neurons of the rat and monkey striatum. *Soc. Neurosci. Abstr.*, 22:410.
- 199. Hillegaart, V., Berretta, S. and Graybiel, A.M. (1996) Effects of chronic cocaine exposure on corticostriatal transmission in the rat. *Soc. Neurosci. Abstr.*, <u>22</u>:410.
- 200. Jog, M., Connolly, C., Hillegaart, V., Wilson, M. and Graybiel, A.M. (1996) Ensemble recordings from striatum of freely-behaving rats. *Soc. Neurosci. Abstr.*, 22:1086.
- 201. Liu, F.-C. and Graybiel, A.M. (1996) Phosphatase control of dynorphin expression in organotypic cultures of developing striatum. *Soc. Neurosci. Abstr.*, <u>22</u>:892.
- 202. Moratalla, R., Elibol, B., Vallejo, M. and Graybiel, A.M. (1996) Circuit-level changes in bZip gene expression induced in the striatum during chronic cocaine treatment and withdrawal. *Soc. Neurosci. Abstr.*, 22:410.
- 203. Watanabe, K., Matsumoto, N., Graybiel, A.M. and Kimura, M. (1996) The nigrostriatal dopamine system influences activity of tonically active striatal neurons through D2-class dopamine receptors. *Soc. Neurosci. Abstr.*, <u>22</u>:1085.
- 204. Berretta, S., Sachs, Z. and Graybiel, A.M. (1997) Blockade of striatal, but not cortical, D2-class dopamine receptors increases cortically-driven Fos induction in the striatum. *Soc. Neurosci. Abstr.*, 23:193.
- 205. Jog, M.S., Kubota, Y., Connolly, C., Iyengar, D. and Graybiel, A.M. (1997) Behavior-related ensemble activity of neurons in rat striatum. *Soc. Neurosci. Abstr.*, 23:464.
- 206. Liu, F.-C. and Graybiel, A.M. (1997) Dopamine D1-class receptor mediated prolonged phosphorylation of CREB in the developing olfactory tubercle. *Soc. Neurosci. Abstr.*
- 207. Matsumoto, N., Minamimoto, T., Graybiel, A.M. and Kimura, M. (1997) Expression of behaviorally conditioned responses of tonically active striatal neurons depends on thalamic input from the CM-Pf complex. *Soc. Neurosci. Abstr.*, 23:464.
- 208. Liu, F.-C. and Graybiel, A.M. (1997) Prolonged phosphorylation of CREB in the ventral striatum mediated by dopamine D1-class receptors. *Soc. Neurosci. Abstr.*, 23:1282.
- 209. Fusco, E. and Graybiel, A.M. (1997) Dopaminergic and glutamatergic regulation distinguishes inducible and constitutive pools of immediate-early gene proteins during striatal development. *Soc. Neurosci. Abstr.*, 23:1284.
- 210. Moratalla, R., Fusco, E., Xu, M., Tonegawa, S. and Graybiel, A.M. (1997) Striosomes, but not normal dynorphin-positive patches, are present in neonatal D1 receptor knockout mice. *Soc. Neurosci. Abstr.*, 23:1284.
- 211. Goldbloom, L.M., Brown, L.L., Smith, D.M. and Graybiel, A.M. (1997) The regional distribution of calbindin and its relationship to striosomes in the rat neostriatum. *Soc. Neurosci. Abstr.*, 23:1284.
- 212. Hillegaart, V., Ahlenius, S. and Graybiel, A.M. (1997) Treadmill locomotion induces c-Fos expression in psychomotor thalamic regions, as well as in regions of the hypothalamus related to regulation of adrenocortical stress hormones. *Soc. Neurosci. Abstr.*, 23:1320.
- 213. Kubota, Y., Jog, M.S., Connolly, C., Iyengar, D. and Graybiel, A.M.. (1998) Dynamic properties of task-related activity recorded in the rat striatum during discriminative procedural learning in a T-maze. *Soc. Neurosci. Abstr.*, 24:181.
- 214. Canales, J.J. and Graybiel, A.M. (1998) Chronic and acute amphetamine induce specific patterns of Fos induction in striatum. *Soc. Neurosci. Abstr.*, <u>24</u>:1846.
- 215. Liu, F.-C., Wang, H.-F., Wang, T.-W. and Graybiel, A.M. (1998) Regulation of DARPP-32 expression by retinoic acid in striatal cell cultures. *Soc. Neurosci. Abstr.* 24:414.

- 216. Hungs, M., Schoen, S.W., Azerbayjani, A.S., Noth, J., Graybiel, A.M. and Kreutzberg, G.W. (1998) Synaptic localization of 5'-nucleotidase activity in the striosomes and extrastriosomal matrix of adult rat caudoputamen. *Soc. Neurosci. Abstr.*, 24:664.
- 217. Jog, M.S., Connolly, C.I., Kubota, Y., Iyengar, D.I. and Graybiel, A.M. (1998) Methods of tetrode calibration, implantation, neuroimaging and analysis of multiunit recordings in striatum. *Soc. Neurosci. Abstr.*, <u>24</u>:1652.
- 218. Kubota, Y. and Graybiel, A.M. (1998) Plasticity in task-related striatal activity in the rat during procedural learning. 6th Triennial Meeting, International Basal Ganglia Society, Brewster, MA, 15-18 October, 1998.
- 219. Canales, J.J. and Graybiel, A.M. (1998) Compartmental distribution of Fos in the striatum following acute and chronic amphetamine treatment. 6th Triennial Meeting, International Basal Ganglia Society Brewster, MA, 15-18 October, 1998.
- 220. Fujii, N., Kojima, J., Blazquez, P., and Graybiel, A.M. (1999) Learning-dependent modulation of neuronal activity in the macaque supplementary eye field. *Soc. Neurosci. Abstr.*, 25:368.
- 221. Toki, S., Kawasaki, H., Matsuda, M., Housman, D.E., and Graybiel, A.M. (1999) Colocalization of Rap1- and Rastargeting CalDAG-GEFs in striatal neurons. *Soc. Neurosci. Abstr.*, <u>25</u>:1695.
- 222. Kubota, Y., Jog, M.S., Connolly, C., and Graybiel, A.M. (1999) Cross-correlational analysis of neuronal activity in the rat striatum during T-maze procedural learning. *Soc. Neurosci. Abstr.*, 25:1384.
- 223. Blazquez, P., Kojima, J., Fujii, N., Courtemanche, R., and Graybiel, A.M. (2000) Aversive conditioning and habituation as well as reward conditioning modify the activity of tonically active neurons in the macaque striatum. Program No. 254.14. 2000 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2000. Online.
- 224. Kubota, Y., Hu, D., DeCoteau, W.E., Harlan, R., and Graybiel, A.M. (2000) Multi-neuronal activity in mouse striatum recorded chronically during T-maze learning. Program No. 254.13. 2000 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2000. Online.
- 225. Kawasaki, H., Toki, S., Matsuda, M., Tashiro, N., Housman, D.E., and Graybiel, A.M. (2000) Expression of Rap1-targeting cAMP-GEFI and cAMP-GEFII in rat brain. Program No. 724.1. 2000 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2000. Online.
- 226. DeCoteau, W.E., Hu, D., Kubota, Y., and Graybiel, A.M. (2000) Striatal lesions impair performance of a T-maze procedural learning task in rats. Program No. 254.19. *2000 Neuroscience Meeting Planner*. New Orleans, LA: Society for Neuroscience, 2000. Online.
- 227. Fujii, N., Blazquez, P., and Graybiel, A.M. (2000) Performance of repetitive tasks induces modulation of neuronal activity in the supplementary eye field and striatum in macaque monkey. Program No. 360.1. 2000 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2000. Online.
- 228. Fujii, N. and Graybiel, A.M. (2001) Contrasting neuronal activity during sequential oculomotor behavior between lateral prefrontal cortex and frontal eye field. Program No. 729.16. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 229. Hu, D., Kubota, Y., and Graybiel, A.M. (2001) Successive resculpting of task-related activity patterns in the striatum during action-sequence procedural learning, extinction and relearning. Program No. 514.9. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 230. Brown, L.L. and Graybiel, A.M. (2001) Preferential activation of the striatal matrix compartment during natural walking. Program No. 68.2. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 231. Blazquez, P.M., Fujii, N., DeCoteau, W.E., and Graybiel, A.M. (2001) Tonically active neurons in the primate striatum have responses that correlate with the probability of behavioral response in reward and aversive Pavlovian conditioning and habituation. Program No. 514.8. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 232. Courtemanche, R., Fujii, N., and Graybiel, A.M. (2001) Local field potential oscillations in the awake macaque striatum. Program No. 67.3. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 233. Saka, E., Harlan, P., Fitzgerald, D.J., Iadarola, M., and Graybiel, A.M. (2001) Ablation of cholinergic and somatostatinergic interneurons in the striatum by substance P-linked pseudomonas exotoxin (SP-PE35) leads to

- changes in striosome-matrix excitability. Program No. 826.17. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 234. Djurfeldt, M., Kubota, Y., Hu, D., DeCoteau, W.E., and Graybiel, A.M. (2001) Changes in correlated activity in the rat sensorimotor striatum during learning of a T-maze task. Program No. 514.10. 2001 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2001. Online.
- 235. Saka, E., Harlan, P., Madras, B., and Graybiel, A.M. (2002) Chronic cocaine exposure induced neuronal responses changes in primate caudate and putamen. Program No. 264.9. 2002 Neuroscience Meeting Planner. Orlando, FL: Society for Neuroscience, 2002. Online.
- 236. Kubota, Y., DeCoteau, W.E., Liu, J., and Graybiel, A.M. (2002) Task-related activity in the medial striatum during performance of a conditional T-maze task. Program No. 765.7. 2002 Neuroscience Meeting Planner. Orlando, FL: Society for Neuroscience, 2002. Online.
- 237. DeCoteau, W.E., Courtemanche, R., Kubota, Y., and Graybiel, A.M. (2002) Anti-phase theta-range oscillations in striatum and hippocampus recorded in rats during T-maze task performance. Program No. 765.6. 2002 Neuroscience Meeting Planner. Orlando, FL: Society for Neuroscience. 2002. Online.
- 238. Mao, J.-B., Kubota, Y., Smith, A.C., Brown, E.N., and Graybiel, A.M. (2003) Development of signals predictive of behavioral outcome during procedural learning in the rat. Program No. 704.2. 2003 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2003. Online.
- 239. Courtemanche, R. Fujii, N., and Graybiel, A.M. (2003) Synchrony and focalization of striatal local field potential oscillations in macaque monkeys performing oculomotor saccade tasks. Program No. 390.8. 2003 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2003. Online.
- 240. Kubota, Y., Liu, J., DeCoteau, W.E., and Graybiel, A.M. (2003) Learning-related plasticity in the mouse striatum during successive training on two versions of procedural T-maze tasks. Program No. 704.1. 2003 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2003. Online.
- 241. Fujii, N. and Graybiel, A.M. (2003) Representation of action boundaries by neurons in the prefrontal cortex of the macaque monkey. Program No. 919.10. 2003 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2003. Online.
- 242. Madras, B.K., Goodrich, C.M., Topcuoglu, E.S., and Graybiel, A. (2003) Cocaine-induced behaviors in squirrel monkeys change with repeated exposure. Program No. 135.7. 2003 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2003. Online.
- 243. Smith, A.C., Frank, L.M., Wirth, S., Yanike, M., Hu, D., Kubota, Y., Graybiel, A.M., Suzuki, W.A., and Brown, E.N. (2003) Dynamic analysis of learning in behavioral experiments. Program No. 834.13. 2003 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2003. Online.
- 244. Graybiel, A.M. (2003) Learning and memory mechanisms of the basal ganglia: plasticity in cortico-basal ganglia loops. In: Instituto Juan March de Estudios e Investigaciones. Workshop on Neuronal Degeneration and Novel Therapeutic Approaches in Parkinson's Disease, p 18: Madrid: Ediciones Peninsular.
- 245. Graybiel, A.M., Courtemanche, R., DeCoteau, W., and Kubota, Y. (2004) Oscillations in LFP activity are prominent in the striatum of monkeys and rats and are subject to task-dependent modulations. IBAGS 8<sup>th</sup> Triennial Meeting, Crieff, Scotland, September 5-9, 2004.
- 246. DeCoteau, W.E., Mao, J., Gibson, D.J., Courtemanche, R., Kubota, Y., and Graybiel, A.M. (2004) Striatal thetagamma local field potential oscillations coordinate with hippocampus rhythms in behaviorally selective patterns. Program No. 70.4. 2004 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2004. Online.
- 247. Feingold, J., Fujii, N., and Graybiel, A.M. (2004) Monkeys use their eyes to plan an upcoming sequence of arm movements. Program No. 191.11. 2004 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2004. Online.
- 248. Fujii, N. and Graybiel, A.M. (2004) Temporal co-modulation of local field potentials (LFPs) in the macaque caudate nucleus and prefrontal cortex. Program No. 186.3. 2004 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2004. Online.
- 249. Kubota, Y., Liu, J., DeCoteau, W.E., and Graybiel, A.M. (2004) Sub-populations of mouse striatal neurons exhibit response plasticity during successive training on two procedural T-maze tasks. Program No. 70.5. 2004 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2004. Online.

- 250. Prerau, M.A., Kubota, Y., Graybiel, A., and Brown, E.N. (2004) Estimated learning from simultaneously recorded continuous and discrete measures of performance. Program No. 922.22. 2004 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2004. Online.
- 251. Saka, E. and Graybiel, A.M. (2005) Striosome-dominant neuronal activity in dorsolateral striatum is correlated with the severity of dyskinesias in a rat model of parkinsomism. 9th International Congress of Parkinson's Disease & Movement Disorders, New Orleans, LA, March 8-9, 2005.
- 252. Plotkin, J., Cepeda, C., Andre, V.M., Wu, N., Kleiman-Weiner, M., Yamazaki, I., Graybiel, A.M., Crittenden, J.R., and Levine, M.S. (2005) Enhanced AMPA receptor function in CalDAG-GEFI-deficient mice. Program No. 1030.19. 2005 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2005. Online.
- 253. Graybiel, A.M., Fujii, N., and Jin, D.Z. (2005) Representation of time and states in the macaque prefrontal cortex and striatum during sequential saccade tasks. Program No. 400.7. 2005 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2005. Online.
- 254. Crittenden, J.R., Costa, C., Martella, G., Calabresi, P., Harlan, P., Sauvage, M., Housman, D.E., and Graybiel, A.M. (2005) CalDAG-GEFI is critical for striatal plasticity. Program No. 1030.18. 2005 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2005. Online.
- 255. Sauvage, M., Crittenden, J.R., DeCoteau, W.E., Smith, C., Housman, D.E., and Graybiel, A.M. (2005) CalDAG-GEFI and striatum plasticity: CalDAG-GEFI is critical for behavioral sensitization to amphetamine. Program No. 1030.17. 2005 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2005. Online.
- 256. Barnes, T.D., Kubota, Y., Hu, D., Jin, D.Z., and Graybiel, A.M. (2005) Successive reorganizations of activity of striatal projection neurons during learning, unlearning and relearning of a procedural task. Program No. 400.15. 2005 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2005. Online.
- 257. Bergmeier, W., Crittenden, J.R., Chauhan, A., Fiffath, C.L., Cifuni, S., Housman, D.E., Graybiel, A.M., and Wagner, D.D. (2006) CalDAG-GEFI plays a central role in platelet activation and thrombus formation in injured arterioles and venules. In submission, 7th Annual Conference on Arteriosclerosis, Thrombosis and Vascular Biology, Denver, CO, Apr. 27-29, 2006.
- 258. Feledy, T.M., Feingold, J., Jin, D.Z., and Graybiel, A.M. (2006) Eye-movement patterns emerge as monkeys perform a free-viewing scan task. Program No. 48.12. 2006 Neuroscience Meeting Planner. Atlanta, GA: Society for Neuroscience, 2006. Online.
- 259. Thorn, C.A., Gibson, D.J., DeCoteau, W.E., Kubota, Y., Mitra, P., and Graybiel, A.M. (2006) Striatal and hippocampal theta rhythms exhibit task-specific coherence relationships that are modulated by learning in a T-maze task. Program No. 352.15. 2006 Neuroscience Meeting Planner. Atlanta, GA: Society for Neuroscience, 2006. Online.
- 260. Crittenden, J.R., Picconi, B., Ghiglieri, V., Calabresi, P., Harlan, P., Housman, D.E., and Graybiel, A.M. (2006) CalDAG-GEFI is required for sensitization to amphetamine-induced stereotypy and corticostriatal LTP, but not for locomotor sensitization and LTD. Program No. 56.5. 2006 Neuroscience Meeting Planner. Atlanta, GA: Society for Neuroscience, 2006. Online.
- 261. Barnes, T.D., Jin, D.Z., Hu, D., Kubota, Y., and Graybiel, A.M. (2006) Single cell analysis of striatal projection neuron firing recorded as rats learn a procedural T-maze task. Program No. 556.21. 2006 Neuroscience Meeting Planner. Atlanta, GA: Society for Neuroscience, 2006. Online.
- 262. Crittenden, J.R., Sauvage, M., Picconi, B., Costa, C., Martella, M., Andre, V., Cepeda, C., Levine, M., Calabresi, P. Housman, D.E., and Graybiel, A.M. The striatum-enriched signaling molecule, CalDAG-GEFI, is essential for cortico-striatal LTP and sensitization of drug-induced stereotypies. Cellular and Molecular Treatments of Neurological Diseases, Cambridge, MA 2006.
- 263. Critttenden, J.R., Sauvage, M., Hershcovitch, L., Housman, D.E., and Graybiel, A.M. Mice lacking the striatum-enriched signaling molecule, CalDAG-GEFI, do not undergo amphetamine-induced sensitization of stereotypy. Autism Consortium Retreat, Oct. 26, 2006, Cambridge, MA.
- 264. Feledy, T.M., Feingold, J., Jin, D., and Graybiel, A.M. (2007) Optimal eye-movement paths emerge as monkeys perform a free-viewing scan task. COSYNE07, Salt Lake City, UT, Feb. 22-27, 2007.

- 265. Kitsukawa, T., Kubota, Y., Hu, D., Yamamori, Y., and Graybiel, A.M. (2007) Contrasting spike activity in the striatum and motor cortex of mice performing complex stepping patterns in a running wheel. Program No. 622.22. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 266. Crittenden, J.R., Cantuti-Castelvetri, I., Saka, E., Fernandez-Hernandez, L., Keller-McGandy, C., Harlan, P., Kett, L. R., Housman, D. E., Young, A. B., and Graybiel, A.M. (2007) The striatal signaling molecule, CalDAG-GEF2, is up-regulated in the dopamine-depleted striatum of hemi-parkinsonian rats. Program No. 371.13. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 267. Cantuti-Castelvetri, I., Saka, E., Keller-McGandy, C.E., Bouzou, B., Crittenden, J.R., Hernandez-Fernandez, L., Kett, L.R., Hollingsworth, Z.R., Clark, T., Young, A.B., Standaert, D., and Graybiel, A.M. (2007) Striatal thyrotropin releasing hormone is increased in response to chronic L-DOPA treatment in a rat model of Parkinson disease. Program No. 254.11. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 268. Feingold, J., DePasquale, B.D., and Graybiel, A.M. (2007) Modulation of cortical 8-20 Hz power in supplementary motor areas during self-timed sequential arm movements in monkeys. Program No. 664.7. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 269. Ninokura, Y. and Graybiel, A.M. (2007) Representation of forthcoming behavioral steps by unit activity in the macaque caudate nucleus during performance of a sequential reaching task. Program No. 662.2. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 270. Desrochers-Feledy, T.M., Feingold, J., Sim, J., Jin, D.Z., and Graybiel, A. M. (2007) Monkeys have behaviorally optimal eye movement patterns in a free-viewing scan task. Program No. 719.2. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 271. Thorn, C.A. and Graybiel, A.M. (2007) Medial and lateral striatal LFPs exhibit task-dependent patterns of coherence in multiple frequency bands. Program No. 622.14. 2007 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2007. Online.
- 272. Feingold, J., Fujii, N., Desrochers-Feledy, T.M., Harlan, R., and Graybiel, A.M. (2007) A method for recording neural activity simultaneously from independently moveable, chronically implanted electrodes in cortical and subcortical areas of monkeys. Neural Coding, Computation and Dynamics (NCCD), September 15-18, 2007, Hossegor, France.
- 273. Crittenden, J.R., Sauvage, M., Cepeda, C., Andre, V., Costa, C., Martella, G., Liu, T., Verma, S., Levine, M., Calabresi, P., Housman, D.E., and Graybiel, A.M. (2007) CalDAG-GEFI modulates behavioral sensitization to psychomotor stimulants and is required for cortico-striatal long-term potentiation. ACNP (American College of Neuropharmacology) Annual Meeting, Dec. 9-13, 2007, Boca Raton, Florida.
- 274. Crittenden, J.R., Dunn, D., Merali, F.I., Woodman, B., Bates, G.P., Housman, D.E., Lo, D.C., and Graybiel, A.M. (2008) Down-regulation of the striatum-enriched signaling molecule, CalDAG-GEF1/RasGRP2, is protective in a model of mutant Htt-induced neurodegeneration. Hereditary Disease Foundation, HD2008, Cambridge, MA; August 8-10, 2008.
- 275. Amemori, K.-I. and Graybiel, A. M. (2008) Enhancement of neuronal activity in the primate anterior cingulate cortex during approach-avoidance conflict. Program No. 590.22. 2008 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2008. Online.
- 276. Han, X., Qian, X., Bernstein, J., Zhou, H., Graybiel, A., Desimone, R., and Boyden, E. S. (2008) Millisecond-timescale optical control of specific genetically-targeted neurons and neural circuits in primate cerebral cortex. Program No. 493.10. 2008 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2008. Online.
- 277. Kramer, M. A., Tort, A. B. L., Thorn, C. A., Gibson, D. J., Kubota, Y., Graybiel, A. M., and Kopell, N. (2008) Dynamic cross-frequency couplings of local field potential oscillations in rat striatum and hippocampus during performance of a T-maze task. Program No. 191.4. 2008 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2008. Online.
- 278. Ninokura, Y. and Graybiel, A. M. (2008) Effects of explicit and implicit instruction of multiple targets in numerical representation in the macaque caudate nucleus. Program No. 472.21. 2008 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2008. Online.

- 279. Thorn, C. A., Atallah, H., Howe, M., and Graybiel, A. (2008) Ensemble unit activity differs between lateral and medial striatal regions during T-maze task learning. Program No. 578.7. 2008 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2008. Online.
- 280. Barnes, T. D., Mao, J., Kubota, Y., Hu, D., Stamoulis, C., and Graybiel, A. M. (2008) Role of the dorsolateral striatum in learning a discriminative procedural task that requires short-term memory processes. Program No. 578.8. *2008 Neuroscience Meeting Planner*. Washington, DC: Society for Neuroscience, 2008. Online.
- 281. Desrochers, T. M., Habenicht, L. M., Gibson, D. J., Feingold, J., and Graybiel, A. M. (2008) Neurons in the frontal eye field respond during uninstructed eye movement performance in a free-moving task. Program No. 855.8. 2008 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2008. Online.
- 282. Thorn, C. and Graybiel, A. (2009) Projection neurons in medial and lateral striatum show different ensemble patterns during learning. COSYNE 2009, Program No. I-38, Feb. 26-Mar. 1, 2009, Salt Lake City, UT.
- 283. Desrochers, T. and Graybiel, A. (2009) FEF neural responses during uninstructed, optimal eye movements in a free-viewing scan task. COSYNE 2009, Feb. 26-Mar. 1, 2009, Salt Lake City, UT.
- 284. Amemori, K.-I. and Graybiel, A.M. (2009) Stimulation of the macaque rostral anterior cingulate cortex alters decision in approach-avoidance conflict. Program No. 194.1. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 285. Atallah, H.E., Howe, M.H., and Graybiel, A.M. (2009) Dynamic modulation of ensemble activity in the nucleus accumbens during T-maze learning. Program No. 567.12. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 286. Burguiere, E., Kubota, Y., Masliah, E., and Graybiel, A.M. (2009) Dissociation of learning deficits and action initiation deficits in alpha-synuclein over-expression mouse model of Parkinson's disease. Program No. 661.25. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 287. Crittenden, J.R., Dunn, D.E., Borkowska, A.E., Woodman, B., Merali, F.I., Frosch, M.P., Housman, D.E., Bates, G.P., Lo, D.C., and Graybiel, A.M. (2009) Down-regulation of CalDAG-GEFI is neuroprotective in a Huntington's disease model. Program No. 432.18. *2009 Neuroscience Meeting Planner*. Chicago, IL: Society for Neuroscience, 2009. Online.
- 288. Desrochers, T. M., Amemori, K.-I., Jin, D. Z., and Graybiel, A. M. (2009) Monkey eye movement patterns in a free-viewing scan task: reward and reduction of entropy as drives. Program No. 71.14. 2009 Neuroscience Meeting *Planner*. Chicago, IL: Society for Neuroscience, 2009. Online.
- 289. Feingold, J., DePasquale, B.D., and Graybiel, A.M. (2009) Modulation of beta power in the prefrontal cortex and caudate nucleus of monkeys during self-timed sequential arm movements. Program No. 863.4. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 290. Nagata, M., Nomura, M., Aoyagi, T., Yamamori, T., Kubota, Y., Graybiel, A.M., and Kitsukawa, T. (2009) Sequential timing control of complex stepping in mice. Program No. 95.19. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 291. Smith, K.S. and Graybiel, A.M. (2009) Reward devaluation in a T-maze task shows dynamics of stimulus-response habit formation. Program No. 567.10. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 292. Thorn, C.A. and Graybiel, A.M. (2009) Projection neurons are entrained to different local field frequencies in dorsomedial and dorsolateral striatum. Program No. 567.9. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 293. Hernandez, L.F., Hu, D., Kubota, Y., and Graybiel, A.M. (2009) Dopamine depletion produces selective blockade of learning-related plasticity in firing patterns in the sensorimotor striatum of rats trained on a conditional T-maze task. Program No. 661.24. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 294. Moore, C., Desai, M., Kahn, I., Ishizawa, Y., Brown, E., Buckner, R., and Graybiel, A. (2009) The impact of isofluorane anesthesia on tactile activation of cortex and striatum: High resolution 9.4t fMRI studies in squirrel monkeys. Program No. 198.2. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.

- 295. Desai, M., Bernstein, J., Atallah, H., Kahn, I., Moore, C.I., Kopell, N., Graybiel, A., and Boyden, E. (2009) Integration of optical neural control and high-field fMRI: Towards systematic exploration of functional neural dynamics with 'Opto-fMRI'. Program No. 484.26. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 296. Barnes, T.D., Hu, D., Mao, J., Kubota, Y., Howe, M., Jin, D., and Graybiel, A.M. (2009) Comparison of training-induced activity in the dorsolateral striatum during training on three versions of a T-maze task. Program No. 567.11. 2009 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2009. Online.
- 297. Crittenden, J.R., Fernandez-Hernandez, L., Yim, M., Keller-McGandy, C., Cantuti-Castelvetri, I., Standaert, D.G., and Graybiel, A.M. (2009) Evaluation of the striatum-enriched genes, CalDAG-GEFI and CalDAG-GEFII, for the treatment and prevention of L-DOPA-induced dyskinesias. Michael J. Fox Foundation Parkinson's Disease Therapeutic Conference, New York, NY.
- 298. Schreiweis, C., Goyal, S., Paabo, S., Graybiel, A.M., and Enard, W. (2010) Speech and language evolution in a mouse: Cognitive abilities of humanized Foxp2 mice. Forum of European Neuroscience, Amsterdam, Abstract No.: 024.43
- 299. Crittenden, J.R., Yim, M.J., Fischer, K.B., and Graybiel, A.M. (2010) Sensitization and tolerance to amphetamine-induced behaviors in mice are differentially maintained during withdrawal. 10<sup>th</sup> Triennial Meeting of the International Basal Ganglia Society, Long Branch, NJ, June 20-24, 2010.
- 300. Thorn, C.A., Howe, M., and Graybiel, A.M. (2010) Simultaneous activation of dorsolateral and dorsomedial striatal loops during T-maze learning. 10<sup>th</sup> Triennial Meeting of the International Basal Ganglia Society, Long Branch, NJ, June 20-24, 2010.
- 301. Smith, K.S. and Graybiel, A.M. (2010) Neural plasticity in infralimbic cortex and dorsolateral striatum associated with habit formation. 10<sup>th</sup> Triennial Meeting of the International Basal Ganglia Society, Long Branch, NJ, June 20-24, 2010.
- 302. Desrochers, T.M., Jin, D.Z., Goodman, N.D., and Graybiel, A.M. (2010) Uninstructed monkey eye movement patterns driven by reward in a naturalistic free-viewing scan task. Program No. 77.18. 2010 Neuroscience Meeting *Planner*. San Diego, CA: Society for Neuroscience, 2010. Online.
- 303. Thorn, C.A. and Graybiel, A.M. (2010) Investigating the interaction of model-free and model-based reinforcement learning systems during T-maze learning. *Soc. Neurosci. Abstr.*, 708.1. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 304. Amemori, K.I. and Graybiel, A.M. (2010) Localized microstimulation of macaque pregenual anterior cingulate cortex increases rejection of cued outcomes in approach-avoidance decision-making. Program No. 306.4. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 305. Hernandez, L.F., Hu, D., Kubota, Y., and Graybiel, A.M., (2010) L-DOPA modifies task-related firing patterns of projection neurons in the dopamine-depleted striatum during performance of a T-maze task. Program No. 708.22. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 306. Crittenden, J.R., Sauvage, M., Burguiere, E., Yim, M.J., Costa, C., Martella, G., Ghiglieri, V., Zhang, H., Pescatore, K.A., Liu, T., Unterwald, E.M., Picconi, B., Sulzer, D., Calabresi, P., and Graybiel, A.M. (2010) CalDAG-GEFI is required for normal striatum-based egocentric maze learning in mice and the balance between cholinergic and dopaminergic signaling in the striatum. Program No. 380.15. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 307. Atallah, H.E., Howe, M.W., and Graybiel, A.M. (2010) Dynamic modulation of ensemble activity in the ventromedial striatum during T-maze learning and re-learning. Program No. 708.2. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 308. Crittenden, J.R., Dunn, D.E., Bowden, H.A., Woodman, B., Yim, M.J., Frosch, M.P., Bates, G.P., Housman, D.E., Lo, D.C., and Graybiel, A.M. (2010) Dysregulation of the striatum-enriched signaling molecules, CalDAG-GEFI and CalDAG-GEFII, in Huntington's disease. Hereditary Disease Foundation HD2010: The Milton Wexler Celebration of Life, Cambridge, MA, August 4-7, 2010.
- 309. Kahn, I., Knoblich, U., Desai, M., Bernstein, J., Graybiel, A.M., Boyden, E.S., Buckner, R.L., and Moore, C.I. (2010) Opto-fMRI: Blood oxygenation level-dependent (BOLD) response is correlated with optically-driven

- pyramidal spiking activity. Program No. 106.8. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 310. Bernstein, J.G., Desai, M., Kahn, I., Atallah, H., Kopell, N., Buckner, R.L., Moore, C.I., Graybiel, A.M., and Boyden, E.S. (2010) Opto-fMRI: Ultra-high resolution causal circuit mapping, and application to analysis of network dynamics. Program No. 106.7. 2010 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2010. Online.
- 311. Amemori, K.-I., Amemori, S., and Graybiel, A.M. (2011) Microstimulation of the macaque caudate nucleus induces changes in outcome evaluation for approach-avoidance decisions. Program No. 99.20. 2011 Neuroscience Meeting *Planner*. Washington, DC: Society for Neuroscience, 2011. Online.
- 312. Amemori, S., Amemori, K.-I., and Graybiel, A.M. (2011) Effects of anxiolytic drug administration on macaque decision-making under approach-avoidance conflict. Program No. 99.18. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 313. Atallah, H.E., Howe, M.W., and Graybiel, A.M. (2011) Interaction between projection neurons and interneurons in the ventromedial striatum during learning: Combining tetrode recording and optogenetics. Program No. 99.24. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 314. Burguiere, E., Feng, G., and Graybiel, A.M. (2011) A new conditioning task to study neuronal activity related to compulsive grooming. Program No. 99.21. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 315. Feingold, J., Gibson, D.J., and Graybiel, A.M. (2011) Brief episodes of beta activity in frontal cortex and striatum. Program No. 99.22. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 316. Gibb, L.G., Amemori, K.-I., and Graybiel, A.M. (2011) The striatum as a context-sensitive modular reinforcement learning system adaptable to changing environments. Program No. 99.19. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 317. Hernandez, L.F., Kubota, Y., Hu, D., and Graybiel, A.M. (2011) Selective effects of dopamine depletion on neuronal subpopulations in the sensorimotor striatum during procedural learning. Program No. 199.17. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 318. Howe, M.W., Atallah, H.E., and Graybiel, A.M. (2011) Synchrony of fast spiking interneurons occurs during beta bursts in the nucleus accumbens and emerges with learning. Program No. 99.23. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 319. Schreiweis, C., Burguiere, E., Bornschein, U., Goyal, S., Hevers, W., Mundry, R., Enard, W., and Graybiel, A.M. (2011) Humanized Foxp2 alters learning in differently balanced cortico-basal ganglia circuits. Program No. 100.08. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 320. Smith, K.S. and Graybiel, A.M. (2011) Firing dynamics in prefrontal cortical and striatal sites coordinately promote habitual behavior. Program No. 99.17. 2011 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2011. Online.
- 321. Graybiel, A.M. (2011) The basal ganglia: binding values to action. Presidential Lecture. *2011 Neuroscience Meeting Planner*. Washington, DC: Society for Neuroscience, 2011. Online.
- 322. Burguiere, E., Feng, G., and Graybiel, A.M. (2012) Optogenetic stimulation of orbitofrontal cortex alleviates compulsive behavior in Sapap3 mutant mouse. Program No. 273.01. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 323. Hernandez, L.F., Kubota, Y., Hu, D., Lemaire, N., Howe, M.W., and Graybiel, A.M. (2012) Effects of dopamine depletion and L-DOPA administration on striatal activity are highly task-modulated during maze learning and performance. Program No. 273.02. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 324. Atallah, H.E. and Graybiel, A.M. (2012) Optogenetic identification and manipulation of striatal cholinergic interneurons: implications for function. Program No. 273.03. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 325. Amemori, S., Amemori, K.-I., and Graybiel, A.M. (2012) Microstimulation of macaque subgenual anterior cingulate cortex alters approach-avoidance decision-making. Program No. 273.04. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.

- 326. Amemori, K.-I., Amemori, S., and Graybiel, A.M. (2012) Functional clustering of neurons in primate caudate nucleus related to outcome evaluation for approach-avoidance decision-making. Program No. 273.05. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 327. Thorn, C.A. and Graybiel, A.M. (2012) Interneuron and field potential activities in sensorimotor and associative striatum during learning. Program No. 273.06. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 328. Smith, K.S., Virkud, A., Deisseroth, K., and Graybiel, A.M. (2012) Optogenetic inhibition of infralimbic cortex both blocks and reinstates habits. Program No. 273.07. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 329. Lemaire, N., Hernandez, L.F., Hu, D., Kubota, Y., Howe, M.W., and Graybiel, A.M. (2012) Effects of local dopamine depletion on LFP oscillations in dorsolateral striatum are task and learning-dependent and are partially reversed by levodopa administration. Program No. 273.08. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 330. Schreiweis, C., Enard, W., and Graybiel, A.M. (2012) Altered response to d-amphetamine treatment in mice with humanized Foxp2. Program No. 273.09. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 331. Correia, S., Graybiel, A.M., and Goosens, K.A. (2012) Reward learning prevents spontaneous recovery of fear. Program No. 606.05. 2012 Neuroscience Meeting Planner. New Orleans, LA: Society for Neuroscience, 2012. Online.
- 332. Graybiel, A.M. and Amemori, K.-I. (2013) Control of primate's benefit-cost ratio by manipulating localized circuits in the frontostriatal network. Program No. 18.02. *2013 Neuroscience Meeting Planner*. San Diego, CA: Society for Neuroscience, 2013. Online.
- 333. Crittenden, J.R., Lacey, C.J., Feng, G., and Graybiel, A.M. (2013) Cholinergic interneurons differentially affect spiking in direct and indirect striatal pathways through M1 acetylcholine receptor and CalDAG-GEFI signaling. Program No. 92.01. 2013 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2013. Online.
- 334. Smith, K.S. and Graybiel, A.M. (2013) Dynamics of "reward" activity in the sensorimotor striatum during learning and habit formation. Program No. 92.02. 2013 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2013. Online.
- 335. Amemori, K.-I., Amemori, S., and Graybiel, A.M. (2013) Primate dorsolateral prefrontal and anterior cingulate neurons are differentially recruited during decision-making under approach-avoidance conflict. Program No. 92.03. 2013 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2013. Online.
- 336. Correia, S., Graybiel, A.M., and Goosens, K.A. (2013) Recruitment of an amygdala-accumbens circuit promotes the persistence of fear extinction. Program No. 486.02. *2013 Neuroscience Meeting Planner*. San Diego, CA: Society for Neuroscience, 2013. Online.
- 337. Friedman, A., Gibb, L.G., Keselman, M.D., and Graybiel, A.M. (2013) Novel mathematical approach to fully unsupervised spike-sorting validated for striatal and cortical neurons. Part I: Enhancing signal-to-noise ratio and evaluating separability. Program No. 680.10. 2013 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2013. Online.
- 338. Gibb, L.G., Friedman, A., Keselman, M.D., and Graybiel, A.M. (2013) Novel mathematical approach to fully unsupervised spike-sorting validated for striatal and cortical neurons. Part II: Achieving unimodality and evaluating cluster quality. Program No. 680.11. 2013 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience. 2013. Online.
- 339. Amemori, S., Amemori, K.-I., Gibson, D.J., and Graybiel, A.M. (2013) Low-dose NMDA antagonist treatment induces frequency-specific changes in LFP across primate cortico-striatal circuits during approach-avoidance decision-making. Program No. 858.21. 2013 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2013. Online.
- 340. Desrochers, T.M., Amemori, K.-I., and Graybiel, A.M. (2014) Neural responses in striatum related to cost and outcome can drive unsupervised learning in the macaque. Program No. 342.01. 2014 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2014. Online.

- 341. Crittenden, J.R., Yildirim, F., Bowden, H.A., Gipson, T.A., Ng, C.W., Fraenkel, E., Housman, D.E., and Graybiel, A.M. (2014) CalDAG-GEFI and CalDAG-GEFII are down-regulated in the R6/2 Huntington's disease mouse model and show reduced H3K4 trimethylation in a pattern typical of dysregulated neuronal genes. Program No. 795.12. 2014 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2014. Online.
- 342. Lemaire, N. and Graybiel, A. (2014) Representation of habitual action sequences in the sensorimotor corticostriatal circuit. Program No. 843.17. 2014 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2014. Online.
- 343. Yildirim, F., Crittenden, J.R., Bowden, H.A., Graybiel, A.M., Fraenkel, E., and Housman, D.E. (2014) Comparative genome-wide transcription analysis in mouse models of Huntington's disease and drug abuse. The Hereditary Disease Foundation Milton Wexler Celebration Meeting, Cambridge, MA.
- 344. Crittenden, J.R., Lacey, C.J., Thomsen, M., Weng, F.J., Caine, S.B., Line, Y., Feng, G., and Graybiel, A.M. (2014) Cholinergic interneurons modulate striatal neuron activation and behavior through M1 acetylcholine receptor and CalDAG-GEFI signaling. Basal Ganglia Gordon Research Conference, Ventura, CA.
- 345. Schwerdt, H.N., Shimazu, H., Amemori, K.-I., Hong, S., Sy, J.C., Spencer, K.C., Tierney, P.L., Yang, Y., Yerramreddy, H., Dagdeviren, C., Ramadi, K., Langer, R.S., Cima, M.J., and Graybiel, A.M. (2015) Fast-scan cyclic voltammetric measurements of stimulation-induced dopamine release with chronically implanted carbon fibers in awake non-human primate. Program No. 266.03. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 346. Correia, S., Graybiel, A.M., and Goosens, K.A. (2015) A circuit connecting the amygdala and ventral striatum regulates fear extinction. Program No. 440.15. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 347. Martiros, N. and Graybiel, A.M. (2015) Representation of learned action sequences in the dorsolateral corticostriatal circuit. Program No. 633.16. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 348. Gibb, L.G., Friedman, A., Homma, D., Amemori, K.-I., Rubin, S.J., Hood, A.S., Riad, M.H., and Graybiel, A.M. (2015) A medial prefrontal-striosome circuit is selectively engaged by cost-benefit conflict decision-making. Program No. 703.18. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 349. Friedman, A., Homma, D., Gibb, L.G., Amemori, K.-I., Rubin, S.J., Hood, A.S., Riad, M.H., and Graybiel, A.M. (2015) Striatal high-firing interneurons mediate inhibitory prefrontal-striosomal signaling during cost-benefit conflict decision-making. Program No. 703.19. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 350. Homma, D., Friedman, A., Gibb, L.G., Amemori, K.-I., Rubin, S.J., Hood, A.S., Riad, M.H., and Graybiel, A.M. (2015) Compartmental selectivity of a prefronto-striosomal pathway controlling decision-making under motivational conflict. Program No. 703.20. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 351. Amemori, K.-I., Amemori, S., Gibson, D.J., and Graybiel, A.M. (2015) Properties of striatal beta oscillation at sites identified by microstimulation as controlling approach-avoidance choice behavior. Program No. 703.21. 2015 Neuroscience Meeting Planner. Chicago, IL: Society for Neuroscience, 2015. Online.
- 352. Amemori, K.-I., Amemori, S., Gibson, D.J., and Graybiel, A.M. (2016) Striatal beta-band oscillations associated with long-lasting pessimistic mood induced by intrastriatal microstimulation. Program No. 168.10. 2016 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2016. Online.
- 353. Crittenden, J.R., Riad, M.H., Tillberg, P.W., Shima, Y., Housman, D.E., Nelson, S.B., Boyden, E.S., and Graybiel, A.M. (2016) Striosome-dendron bouquet formations: a unique striatonigral circuit connection engaging dopamine-containing neurons and their ventrally extending dendrites. Program No. 245.08. 2016 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2016. Online.
- 354. Hong, S., Amemori, S., Amemori, K.-I., and Graybiel, A.M. (2016) Striosomes may control dopamine activity via disynaptic projections to macaque lateral habenula. Program No. 258.17. 2016 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2016. Online.
- 355. Gibb, L.G., Friedman, A., Slocum, J.F., Tyulmanikov, D., Altshuler, A., Ruangwises, S., Shi, Q., Toro Arana, S.E., Beck, D.W., Sholes, J.E.C., and Graybiel, A.M. (2016) Identifying interactions in neural circuit simulations and

- other data using non-linear multi-dimensional hidden-state models. Program No. 470.14. 2016 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2016. Online.
- 356. Friedman, A., Slocum, J.F., Tyulmanikov, D., Gibb, L.G., Altshuler, A., Ruangwises, S., Shi, Q., Toro Arana, S.E., Beck, D.W., Sholes, J.E.C., and Graybiel, A.M. (2016) Non-linear multi-dimensional hidden state models for the analysis of neural circuits. Program No. 470.15. 2016 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2016. Online.
- 357. Schwerdt, H.N., Kim, M., Homma, D., Amemori, S., Yoshida, T., Shimazu, H., Langer, R.S., Graybiel, A.M., and Cima, M.J. (2016) Flexible microelectrode arrays for high-density subsecond dopamine recording. Program No. 752.08. 2016 Neuroscience Meeting Planner. San Diego, CA: Society for Neuroscience, 2016. Online.